

Upper Ventura River Groundwater Sustainability Plan

[INSERT COVER
GRAPHIC]



[Insert Date]

Executive Summary [§354.4(a)]

§354.4 General Information. *Each Plan shall include the following general information:*

- (a)** *An executive summary written in plain language that provides an overview of the Plan and description of groundwater conditions in the basin.*

An executive summary written in plain language that provides an overview of the Plan and description of groundwater conditions in the basin.

TABLE OF CONTENTS

Executive Summary [§354.4(a)]	i
LIST OF FIGURES	viii
LIST OF TABLES	viii
LIST OF APPENDICES	viii
ACRONYMS AND ABBREVIATIONS	ix
1.0 Introduction to Plan Contents [Article 5 §354]	1
2.0 Administrative Information [Article 5, SubArticle 1]	2
2.1 Agency Information [§354.6]	2
2.1.1 Name and Mailing Address [§354.6(a)]	2
2.1.2 Organization and Management Structure [§354.6(b)].....	2
2.1.3 Plan Manager and Contact Information [§354.6(c)]	2
2.1.4 Legal Authority [§354.6(d)]	3
2.1.5 Cost and Funding of Plan Implementation [§354.6(e)].....	3
2.2 Description of Plan Area [§354.8]	3
2.2.1 Summary of Jurisdictional Areas and Other Features [§354.8(a)(1),(a)(2),(a)(3),(a)(4),(a)(5), and (b)].....	3
2.2.2 Water Resources Monitoring and Management Programs [§354.8(c) and (d)].....	4
2.2.2.1 Existing Water Resource Monitoring Programs [§354.8(c) and (d)].....	4
2.2.2.2 Existing Water Resource Management Programs [§354.8(c) and (d)].....	4
2.2.2.3 Conjunctive Use Programs [§354.8(e)]	4
2.2.3 Land Use/General Plans	4
2.2.3.1 Land Use and General Plans Summary [§354.8(f)(1),(f)(2), and (f)(3)].....	4
2.2.3.1.1 How Land Use Plans May Impact Water Demands and Sustainable Groundwater Management	5
2.2.3.1.2 How Sustainable Groundwater Management May Affect Water Supply Assumptions	5
2.2.3.2 Well Permitting [§354.8(f)(4)]	5
2.2.3.3 Impact of Land Use Plans Outside of Basin on Sustainable Groundwater Management [§354.8(f)(5)]....	5
2.2.4 Additional Plan Elements [§354.8(g)]	6
2.3 Notice and Communication [§354.10]	6
2.3.1 Beneficial Uses and Users [§354.10(a)]	6
2.3.2 Public Meetings [§354.10(b)].....	7
2.3.3 Public Comments [§354.10(c)]	7
2.3.4 Communication [§354.10(d)]	7
2.3.4.1 Decision-Making Process [§354.10(d)(1)].....	7
2.3.4.2 Public Engagement [§354.10(d)(2) and (d)(3)].....	7
2.3.4.3 Progress Updates [§354.10(d)(4)].....	7
3.0 Basin Setting [Article 5, SubArticle 2]	8
3.1 Hydrogeologic Conceptual Model [§354.14]	8
3.1.1 Regional Hydrology	8
3.1.1.1 Topography and Watershed Boundary [§354.14(d)(1)].....	8
3.1.1.2 Surface Water Bodies [§354.14(d)(5)].....	8
3.1.1.3 Imported Water [§354.14(d)(6)].....	8

3.1.2	Regional Geology [§354.14(b)(1),(d)(2), and (d)(3)]	9
3.1.3	Principal Aquifers and Aquitards [§354.14(b)(4)(A)]	9
3.1.3.1	Physical Properties of the Aquifers and Aquitards	9
3.1.3.1.1	Basin Boundary (Vertical and Lateral Extent of Basin) [§354.14(b)(2),(b)(3),(b)(4)(B), and (c)]	9
3.1.3.1.2	Groundwater Flow Barriers [§354.14(b)(4)(C) and (c)]	10
3.1.3.1.3	Hydraulic Properties [§354.14(b)(4)(B)]	10
3.1.3.2	Groundwater Recharge and Discharge Areas [§354.14(d)(4)]	10
3.1.3.3	Water Quality [§354.14(b)(4)(D)]	10
3.1.3.4	Primary Beneficial Uses [§354.14(b)(4)(E)]	11
3.1.4	Data Gaps and Uncertainty [§354.14(b)(5)]	11
3.2	Groundwater Conditions [§354.16]	11
3.2.1	Groundwater Elevations [§354.16(a)]	11
3.2.1.1	Groundwater Elevation Contours [§354.16(a)(1)]	11
3.2.1.2	Groundwater Elevation Hydrographs [§354.16(a)(2)]	12
3.2.2	Change in Storage [§354.16(b)]	12
3.2.3	Seawater Intrusion [§354.16(c)]	12
3.2.4	Groundwater Quality Impacts [§354.16(d)]	12
3.2.5	Land Subsidence [§354.16(e)]	13
3.2.6	Interconnected Surface Water Systems [§354.16(f)]	13
3.2.7	Groundwater Dependent Ecosystems [§354.16(g)]	13
3.3	Water Budget [§354.18]	14
3.3.1	Historical Water Budget [§354.18(c)(2)(B)]	14
3.3.1.1	Reliability of Historical Surface Water Supplies [§354.18(c)(2)(A)]	14
3.3.1.2	Impact of Historical Conditions on Basin Operations [§354.18(c)(2)(C)]	15
3.3.2	Current Water Budget [§354.18(c)(1)]	15
3.3.3	Projected Water Budget	15
3.3.3.1	Projected Water Budget Calculation Methods [§354.18(d)(1),(d)(2),(d)(3),(e), and (f)]	15
3.3.3.1.1	Projected Hydrology [§354.18(c)(3)(A)]	16
3.3.3.1.2	Projected Water Demand [§354.18(c)(3)(B)]	17
3.3.3.1.3	Projected Surface Water Supply [§354.18(c)(3)(C)]	18
3.3.3.2	Projected Water Budget	18
3.3.4	Sustainable Yield Estimate [§354.18(b)(7)]	19
3.4	Management Areas [§354.20]	19
3.4.1	Introduction to Management Areas [§354.20(a) and (c)]	19
3.4.2	Management Area A (there will be a section for each management area)	19
3.4.2.1	Management Area Characteristics and Purpose [§354.20(b)(1)]	19
3.4.2.2	Management Area Minimum Thresholds and Measurable Objectives [§354.20(b)(2) and (b)(4)]	19
3.4.2.3	Management Area Monitoring and Analysis [§354.20(b)(3)]	19
4.0	Sustainable Management Criteria [Article 5, SubArticle 3]	21
4.1	Introduction to Sustainable Management Criteria [§354.22]	21
4.2	Sustainability Goal [§354.24]	21
4.3	Process for Establishing Sustainable Management Criteria [§354.26(a)]	21
4.4	Chronic Lowering of Groundwater Levels	21
4.4.1	Undesirable Results [§354.26(a)]	21
4.4.1.1	Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]	21
4.4.1.2	Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]	22
4.4.1.3	Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]	22
4.4.2	Minimum Thresholds [§354.28]	22

4.4.2.1	Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(1)(A),(c)(1)(B), and (e)]	22
4.4.2.2	Quantification of Minimum Thresholds [§354.28(a)]	23
4.4.2.2.1	Evaluation of Multiple Minimum Thresholds [§354.26(c)]	23
4.4.2.2.2	Evaluation of Representative Minimum Thresholds [§354.28(d)]	23
4.4.2.3	Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]	23
4.4.2.4	Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]	23
4.4.2.5	Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]	24
4.4.2.6	Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]	24
4.4.2.7	Measurement of Minimum Thresholds [§354.28(b)(6)]	24
4.4.3	Measurable Objectives and Interim Milestones [§354.30]	24
4.4.3.1	Description of Measurable Objectives	24
4.4.3.1.1	Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]	25
4.4.3.2	Operational Flexibility [§354.30(c) and (g)]	25
4.4.3.3	Representative Monitoring [§354.30(d)]	25
4.4.3.4	Path to Achieve Measurable Objectives [§354.30(e)]	25
4.5	Reduction of Groundwater Storage	26
4.5.1	Undesirable Results [§354.26(a)]	26
4.5.1.1	Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]	26
4.5.1.2	Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]	26
4.5.1.3	Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]	26
4.5.2	Minimum Thresholds [§354.28]	26
4.5.2.1	Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(2), and (e)]	26
4.5.2.2	Quantification of Minimum Thresholds [§354.28(a)]	27
4.5.2.2.1	Evaluation of Multiple Minimum Thresholds [§354.26(c)]	27
4.5.2.2.2	Evaluation of Representative Minimum Thresholds [§354.28(d)]	27
4.5.2.3	Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]	28
4.5.2.4	Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]	28
4.5.2.5	Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]	28
4.5.2.6	Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]	28
4.5.2.7	Measurement of Minimum Thresholds [§354.28(b)(6)]	29
4.5.3	Measurable Objectives and Interim Milestones [§354.30]	29
4.5.3.1	Description of Measurable Objectives	29
4.5.3.1.1	Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]	29
4.5.3.2	Operational Flexibility [§354.30(c) and (g)]	29
4.5.3.3	Representative Monitoring [§354.30(d)]	29
4.5.3.4	Path to Achieve Measurable Objectives [§354.30(e)]	30
4.6	Seawater Intrusion	30
4.6.1	Undesirable Results [§354.26(a)]	30
4.6.1.1	Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]	30
4.6.1.2	Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]	30
4.6.1.3	Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]	30
4.6.2	Minimum Thresholds [§354.28]	31
4.6.2.1	Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(3)(A),(c)(3)(B), and (e)]	31
4.6.2.2	Quantification of Minimum Thresholds [§354.28(a)]	31
4.6.2.2.1	Evaluation of Multiple Minimum Thresholds [§354.26(c)]	31
4.6.2.2.2	Evaluation of Representative Minimum Thresholds [§354.28(d)]	31
4.6.2.3	Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]	32
4.6.2.4	Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]	32
4.6.2.5	Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]	32
4.6.2.6	Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]	32
4.6.2.7	Measurement of Minimum Thresholds [§354.28(b)(6)]	33
4.6.3	Measurable Objectives and Interim Milestones [§354.30]	33
4.6.3.1	Description of Measurable Objectives	33

4.6.3.1.1	Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]	33
4.6.3.2	Operational Flexibility [§354.30(c) and (g)]	33
4.6.3.3	Representative Monitoring [§354.30(d)]	33
4.6.3.4	Path to Achieve Measurable Objectives [§354.30(e)]	33
4.7	Degraded Water Quality	34
4.7.1	Undesirable Results [§354.26(a)]	34
4.7.1.1	Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]	34
4.7.1.2	Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]	34
4.7.1.3	Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]	34
4.7.2	Minimum Thresholds [§354.28]	35
4.7.2.1	Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(4), and (e)]	35
4.7.2.2	Quantification of Minimum Thresholds [§354.28(a)]	35
4.7.2.2.1	Evaluation of Multiple Minimum Thresholds [§354.26(c)]	35
4.7.2.2.2	Evaluation of Representative Minimum Thresholds [§354.28(d)]	35
4.7.2.3	Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]	36
4.7.2.4	Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]	36
4.7.2.5	Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]	36
4.7.2.6	Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]	36
4.7.2.7	Measurement of Minimum Thresholds [§354.28(b)(6)]	37
4.7.3	Measurable Objectives and Interim Milestones [§354.30]	37
4.7.3.1	Description of Measurable Objectives	37
4.7.3.1.1	Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]	37
4.7.3.2	Operational Flexibility [§354.30(c) and (g)]	37
4.7.3.3	Representative Monitoring [§354.30(d)]	37
4.7.3.4	Path to Achieve Measurable Objectives [§354.30(e)]	38
4.8	Land Subsidence	38
4.8.1	Undesirable Results [§354.26(a)]	38
4.8.1.1	Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]	38
4.8.1.2	Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]	38
4.8.1.3	Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]	39
4.8.2	Minimum Thresholds [§354.28]	39
4.8.2.1	Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(5)(A),(c)(5)(B), and (e)]	39
4.8.2.2	Quantification of Minimum Thresholds [§354.28(a)]	39
4.8.2.2.1	Evaluation of Multiple Minimum Thresholds [§354.26(c)]	40
4.8.2.2.2	Evaluation of Representative Minimum Thresholds [§354.28 (d)]	40
4.8.2.3	Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]	40
4.8.2.4	Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]	40
4.8.2.5	Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]	41
4.8.2.6	Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]	41
4.8.2.7	Measurement of Minimum Thresholds [§354.28(b)(6)]	41
4.8.3	Measurable Objectives and Interim Milestones [§354.30]	41
4.8.3.1	Description of Measurable Objectives	41
4.8.3.1.1	Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]	41
4.8.3.2	Operational Flexibility [§354.30(c) and (g)]	42
4.8.3.3	Representative Monitoring [§354.30(d)]	42
4.8.3.4	Path to Achieve Measurable Objectives [§354.30(e)]	42
4.9	Depletions of Interconnected Service Water	42
4.9.1	Undesirable Results [§354.26(a)]	42
4.9.1.1	Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]	42
4.9.1.2	Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]	43
4.9.1.3	Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]	43
4.9.2	Minimum Thresholds [§354.28]	43

4.9.2.1	Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(6)(A),(c)(6)(B), and (e)]	43
4.9.2.2	Quantification of Minimum Thresholds [§354.28(a)]	44
4.9.2.2.1	Evaluation of Multiple Minimum Thresholds [§354.26(c)]	44
4.9.2.2.2	Evaluation of Representative Minimum Thresholds [§354.28(d)]	44
4.9.2.3	Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]	45
4.9.2.4	Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]	45
4.9.2.5	Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]	45
4.9.2.6	Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]	45
4.9.2.7	Measurement of Minimum Thresholds [§354.28(b)(6)]	46
4.9.3	Measurable Objectives and Interim Milestones [§354.30]	46
4.9.3.1	Description of Measurable Objectives	46
4.9.3.1.1	Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]	46
4.9.3.2	Operational Flexibility [§354.30(c) and (g)]	46
4.9.3.3	Representative Monitoring [§354.30(d)]	46
4.9.3.4	Path to Achieve Measurable Objectives [§354.30(e)]	47
4.10	Measurable Objectives and Interim Milestones for Additional Plan Elements [§354.30(f)]	47
4.10.1	Additional Plan Element No. 1 (if needed)	47
4.10.2	Additional Plan Element No. 2 (if needed)	47
5.0	Monitoring Networks [Article 5, SubArticle 4]	48
5.1	Introduction to Monitoring Networks [§354.32]	48
5.2	Monitoring Network Objectives and Design Criteria [§354.34(a),(b)(1),(b)(2),(b)(3),(b)(4),(d),(f)(1),(f)(2),(f)(3), and (f)(4)]	48
5.3	Groundwater Levels Monitoring Network [§354.34(e),(g)(3),(h), and (j)]	49
5.3.1	Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(1)(A),(c)(1)(B), and (g)(1)]	49
5.3.2	Data and Reporting Standards [§354.34(g)(2)]	49
5.3.3	Monitoring Protocols [§354.34(i)]	50
5.3.4	Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)]	50
5.4	Groundwater Storage Monitoring Network [§354.34(e),(g)(3),(h), and (j)]	51
5.4.1	Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(2) and (g)(1)]	51
5.4.2	Data and Reporting Standards [§354.34(g)(2)]	51
5.4.3	Monitoring Protocols [§354.34(i)]	52
5.4.4	Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)]	52
5.5	Seawater Intrusion Monitoring Network [§354.34(e),(g)(3),(h), and (j)]	53
5.5.1	Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(3) and (g)(1)]	53
5.5.2	Data and Reporting Standards [§354.34(g)(2)]	53
5.5.3	Monitoring Protocols [§354.34(i)]	54
5.5.4	Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)]	54
5.6	Degraded Water Quality Monitoring Network [§354.34(e),(g)(3),(h), and (j)]	55
5.6.1	Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(4) and (g)(1)]	55
5.6.2	Data and Reporting Standards [§354.34(g)(2)]	55
5.6.3	Monitoring Protocols [§354.34(i)]	56

5.6.4	Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)].....	56
5.7	Land Subsidence Monitoring Network [§354.34(e),(g)(3),(h), and (j)]	57
5.7.1	Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(5) and (g)(1)] .	57
5.7.2	Data and Reporting Standards [§354.34(g)(2)].....	57
5.7.3	Monitoring Protocols [§354.34(i)].....	58
5.7.4	Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)].....	58
5.8	Depletions of Interconnected Surface Water Monitoring Network [§354.34(e),(g)(3),(h), and (j)]	59
5.8.1	Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(6)(A),(c)(6)(B),(c)(6)(C),(c)(6)(D), and (g)(1)]	59
5.8.2	Data and Reporting Standards [§354.34(g)(2)].....	60
5.8.3	Monitoring Protocols [§354.34(i)].....	60
5.8.4	Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and(e)(4)].....	60
5.9	Representative Monitoring Sites [§354.36(a),(b)(1),(b)(2), and (c)]	61
5.10	Reporting Monitoring Data to the Department (Data Management System) [§354.40]	61
6.0	Projects and Management Actions [Article 5, SubArticle 5]	62
6.1	Introduction [§354.42, 354.44(a),(c), and (d)]	62
6.2	Project and Management Action 1 [§354.44(b)(1), (d)]	62
6.2.1	Relevant Measurable Objective(s) [§354.44(b)(1)]	62
6.2.2	Implementation Triggers [§354.44(b)(1)(A)].....	63
6.2.3	Public Notice Process [§354.44(b)(1)(B)]	63
6.2.4	Overdraft Mitigation [§354.44(b)(2)].....	63
6.2.5	Permitting and Regulatory Process [§354.44(b)(3)].....	63
6.2.6	Implementation Timeline [§354.44(b)(4)].....	63
6.2.7	Anticipated Benefits [§354.44(b)(5)]	64
6.2.8	Implementation Approach [§354.44(b)(6)]	64
6.2.9	Legal Authority [§354.44(b)(7)].....	64
6.2.10	Cost & Funding [§354.44(b)(8)]	64
6.2.11	Drought Offset Measures [§354.44(b)(9)].....	64
6.3	Project and Management Action 2 [§354.44(b)(1)(d)]	65
6.3.1	Relevant Measurable Objective(s) [§354.44(b)(1)]	65
6.3.2	Implementation Triggers [§354.44(b)(1)(A)].....	65
6.3.3	Public Notice Process [§354.44(b)(1)(B)]	65
6.3.4	Overdraft Mitigation [§354.44(b)(2)].....	66
6.3.5	Permitting and Regulatory Process [§354.44(b)(3)].....	66
6.3.6	Implementation Timeline [§354.44(b)(4)].....	66
6.3.7	Anticipated Benefits [§354.44(b)(5)]	66
6.3.8	Implementation Approach [§354.44(b)(6)]	66
6.3.9	Legal Authority [§354.44(b)(7)].....	67
6.3.10	Cost & Funding [§354.44(b)(8)]	67

6.3.11 Drought Offset Measures [§354.44(b)(9)] 67

7.0 References and Technical Studies [§354.4(b)] 68

Appendices 69

LIST OF FIGURES

Figure 1 Title of Figure 1

LIST OF TABLES

Table 1 Title of Table 1

LIST OF APPENDICES

- Appendix A. Interbasin and Coordination Agreements (as applicable) (Reg. §357)
- Appendix B. Contact Information for Plan Manager and GSA Mailing Address (Reg. §354.6)
- Appendix C. List of Public Meetings (Reg. §354.10)
- Appendix D. Technical Appendices
- Appendix E. Groundwater Model Documentation
- Appendix F. Comments and Responses (Reg. §354.10)

ACRONYMS AND ABBREVIATIONS

1.0 Introduction to Plan Contents [Article 5 §354]

§354 Introduction to Plan Contents. *This Article describes the required contents of Plans submitted to the Department for evaluation, including administrative information, a description of the basin setting, sustainable management criteria, description of the monitoring network, and projects and management actions.*

This section will include a brief description of SGMA, the purpose of the GSP, sustainability goal, and describe the main sections of the Plan.

2.0 Administrative Information [Article 5, SubArticle 1]

§354.2 Introduction to Administrative Information. *This Subarticle describes information in the Plan relating to administrative and other general information about the Agency that has adopted the Plan and the area covered by the Plan.*

2.1 Agency Information [§354.6]

Background on the development of the GSA. Give info on dates of formation, DWR approval, code for formal adoption, any member agencies, boundaries and jurisdictional areas. Include map of area and boundaries of jurisdictional areas.

2.1.1 Name and Mailing Address [§354.6(a)]

§354.6 Agency Information. *When submitting an adopted Plan to the Department, the Agency shall include a copy of the information provided pursuant to Water Code Section 10723.8, with any updates, if necessary, along with the following information:*

(a) *The name and mailing address of the Agency.*

2.1.2 Organization and Management Structure [§354.6(b)]

§354.6 Agency Information. *When submitting an adopted Plan to the Department, the Agency shall include a copy of the information provided pursuant to Water Code Section 10723.8, with any updates, if necessary, along with the following information:*

(b) *The organization and management structure of the Agency, identifying persons with management authority for implementation of the Plan.*

2.1.3 Plan Manager and Contact Information [§354.6(c)]

§354.6 Agency Information. *When submitting an adopted Plan to the Department, the Agency shall include a copy of the information provided pursuant to Water Code Section 10723.8, with any updates, if necessary, along with the following information:*

(c) *The name and contact information, including the phone number, mailing address and electronic mail address, of the plan manager.*

2.1.4 Legal Authority [§354.6(d)]

§354.6 Agency Information. When submitting an adopted Plan to the Department, the Agency shall include a copy of the information provided pursuant to Water Code Section 10723.8, with any updates, if necessary, along with the following information:

(d) The legal authority of the Agency, with specific reference to citations setting forth the duties, powers, and responsibilities of the Agency, demonstrating that the Agency has the legal authority to implement the Plan.

2.1.5 Cost and Funding of Plan Implementation [§354.6(e)]

§354.6 Agency Information. When submitting an adopted Plan to the Department, the Agency shall include a copy of the information provided pursuant to Water Code Section 10723.8, with any updates, if necessary, along with the following information:

(e) An estimate of the cost of implementing the Plan and a general description of how the Agency plans to meet those costs.

2.2 Description of Plan Area [§354.8]

2.2.1 Summary of Jurisdictional Areas and Other Features [§354.8(a)(1),(a)(2),(a)(3),(a)(4),(a)(5), and (b)]

§354.8 Description of Plan Area. Each Plan shall include a description of the geographic areas covered, including the following information:

(a) One or more maps of the basin that depict the following, as applicable:

- (1)** The area covered by the Plan, delineating areas managed by the Agency as an exclusive Agency and any areas for which the Agency is not an exclusive Agency, and the name and location of any adjacent basins.
- (2)** Adjudicated areas, other Agencies within the basin, and areas covered by an Alternative.
- (3)** Jurisdictional boundaries of federal or state land (including the identity of the agency with jurisdiction over that land), tribal land, cities, counties, agencies with water management responsibilities, and areas covered by relevant general plans.
- (4)** Existing land use designations and the identification of water use sector and water source type.
- (5)** The density of wells per square mile, by dasymetric or similar mapping techniques, showing the general distribution of agricultural, industrial, and domestic water supply wells in the basin, including de minimis extractors, and the location and extent of communities dependent upon groundwater, utilizing data provided by the Department, as specified in Section 353.2, or the best available information.

(b) A written description of the Plan area, including a summary of the jurisdictional areas and other features depicted on the map.

2.2.2 Water Resources Monitoring and Management Programs [§354.8(c) and (d)]

2.2.2.1 Existing Water Resource Monitoring Programs [§354.8(c) and (d)]

§354.8 Description of Plan Area. Each Plan shall include a description of the geographic areas covered, including the following information:

- (c) Identification of existing water resource monitoring and **management programs**, and description of any such programs the Agency plans to incorporate in its monitoring network or in development of its Plan. The Agency may coordinate with existing water resource monitoring and management programs to incorporate and adopt that program as part of the Plan.
- (d) A description of how existing water resource monitoring or **management programs** may limit operational flexibility in the basin, and how the Plan has been developed to adapt to those limits.

2.2.2.2 Existing Water Resource Management Programs [§354.8(c) and (d)]

§354.8 Description of Plan Area. Each Plan shall include a description of the geographic areas covered, including the following information:

- (c) Identification of existing water resource **monitoring** and management programs, and description of any such programs the Agency plans to incorporate in its monitoring network or in development of its Plan. The Agency may coordinate with existing water resource monitoring and management programs to incorporate and adopt that program as part of the Plan.
- (d) A description of how existing water resource **monitoring** or management programs may limit operational flexibility in the basin, and how the Plan has been developed to adapt to those limits.

2.2.2.3 Conjunctive Use Programs [§354.8(e)]

§354.8 Description of Plan Area. Each Plan shall include a description of the geographic areas covered, including the following information:

- (e) A description of conjunctive use programs in the basin.

2.2.3 Land Use/General Plans

2.2.3.1 Land Use and General Plans Summary [§354.8(f)(1),(f)(2), and (f)(3)]

§354.8 Description of Plan Area. *Each Plan shall include a description of the geographic areas covered, including the following information:*

- (f) A plain language description of the land use elements or topic categories of applicable general plans that includes the following:*
- (1) A summary of general plans and other land use plans governing the basin.*
 - (2) A general description of how implementation of existing land use plans may change water demands within the basin or affect the ability of the Agency to achieve sustainable groundwater management over the planning and implementation horizon, and how the Plan addresses those potential effects.*
 - (3) A general description of how implementation of the Plan may affect the water supply assumptions of relevant land use plans over the planning and implementation horizon.*

2.2.3.1.1 *How Land Use Plans May Impact Water Demands and Sustainable Groundwater Management*

2.2.3.1.2 *How Sustainable Groundwater Management May Affect Water Supply Assumptions*

2.2.3.2 Well Permitting [§354.8(f)(4)]

§354.8 Description of Plan Area. *Each Plan shall include a description of the geographic areas covered, including the following information:*

- (f) A plain language description of the land use elements or topic categories of applicable general plans that includes the following:*
- (4) A summary of the process for permitting new or replacement wells in the basin, including adopted standards in local well ordinances, zoning codes, and policies contained in adopted land use plans.*

2.2.3.3 Impact of Land Use Plans Outside of Basin on Sustainable Groundwater Management [§354.8(f)(5)]

§354.8 Description of Plan Area. *Each Plan shall include a description of the geographic areas covered, including the following information:*

- (f) A plain language description of the land use elements or topic categories of applicable general plans that includes the following:*
- (5) To the extent known, the Agency may include information regarding the implementation of land use plans outside the basin that could affect the ability of the Agency to achieve sustainable groundwater management.*

2.2.4 Additional Plan Elements [§354.8(g)]

§354.8 Description of Plan Area. *Each Plan shall include a description of the geographic areas covered, including the following information:*

(g) *A description of any of the additional Plan elements included in Water Code Section 10727.4 that the Agency determines to be appropriate.*

This section may address any of the following:

(a) Control of saline water intrusion.

(b) Wellhead protection areas and recharge areas

(c) Migration of contaminated groundwater.

(d) A well abandonment and well destruction program.

(e) Replenishment of groundwater extractions.

(f) Activities implementing, opportunities for, and removing impediments to, conjunctive use or underground storage.

(g) Well construction policies.

(h) Measures addressing groundwater contamination cleanup, groundwater recharge, in-lieu use, diversions to storage, conservation, water recycling, conveyance, and extraction projects.

(i) Efficient water management practices, as defined in Section 10902 , for the delivery of water and water conservation methods to improve the efficiency of water use.

(j) Efforts to develop relationships with state and federal regulatory agencies.

(k) Processes to review land use plans and efforts to coordinate with land use planning agencies to assess activities that potentially create risks to groundwater quality or quantity.

(l) Impacts on groundwater dependent ecosystems.

2.3 Notice and Communication [§354.10]

2.3.1 Beneficial Uses and Users [§354.10(a)]

§354.10 Notice and Communication. *Each Plan shall include a summary of information relating to notification and communication by the Agency with other agencies and interested parties including the following:*

(a) *A description of the beneficial uses and users of groundwater in the basin, including the land uses and property interests potentially affected by the use of groundwater in the basin, the types of parties representing those interests, and the nature of consultation with those parties.*

2.3.2 Public Meetings [§354.10(b)]

§354.10 Notice and Communication. *Each Plan shall include a summary of information relating to notification and communication by the Agency with other agencies and interested parties including the following:*
(b) A list of public meetings at which the Plan was discussed or considered by the Agency.

2.3.3 Public Comments [§354.10(c)]

§354.10 Notice and Communication. *Each Plan shall include a summary of information relating to notification and communication by the Agency with other agencies and interested parties including the following:*
(c) Comments regarding the Plan received by the Agency and a summary of any responses by the Agency.

2.3.4 Communication [§354.10(d)]

2.3.4.1 Decision-Making Process [§354.10(d)(1)]

§354.10 Notice and Communication. *Each Plan shall include a summary of information relating to notification and communication by the Agency with other agencies and interested parties including the following:*
(d) A communication section of the Plan that includes the following:
(1) An explanation of the Agency's decision-making process.

2.3.4.2 Public Engagement [§354.10(d)(2) and (d)(3)]

§354.10 Notice and Communication. *Each Plan shall include a summary of information relating to notification and communication by the Agency with other agencies and interested parties including the following:*
(d) A communication section of the Plan that includes the following:
(2) Identification of opportunities for public engagement and a discussion of how public input and response will be used.
(3) A description of how the Agency encourages the active involvement of diverse social, cultural, and economic elements of the population within the basin.

2.3.4.3 Progress Updates [§354.10(d)(4)]

§354.10 Notice and Communication. *Each Plan shall include a summary of information relating to notification and communication by the Agency with other agencies and interested parties including the following:*
(d) A communication section of the Plan that includes the following:
(4) The method the Agency shall follow to inform the public about progress implementing the Plan, including the status of projects and actions.

3.0 Basin Setting [Article 5, SubArticle 2]

§354.12 Introduction to Basin Setting. *This Subarticle describes the information about the physical setting and characteristics of the basin and current conditions of the basin that shall be part of each Plan, including the identification of data gaps and levels of uncertainty, which comprise the basin setting that serves as the basis for defining and assessing reasonable sustainable management criteria and projects and management actions. Information provided pursuant to this Subarticle shall be prepared by or under the direction of a professional geologist or professional engineer.*

3.1 Hydrogeologic Conceptual Model [§354.14]

§354.14 Hydrogeological Conceptual Model.

(a) Each Plan shall include a descriptive hydrogeologic conceptual model of the basin based on technical studies and qualified maps that characterizes the physical components and interaction of the surface water and groundwater systems in the basin.

3.1.1 Regional Hydrology

3.1.1.1 Topography and Watershed Boundary [§354.14(d)(1)]

§354.14 Hydrogeological Conceptual Model.

(d) Physical characteristics of the basin shall be represented on one or more maps that depict the following:
(1) Topographic information derived from the U.S. Geological Survey or another reliable source.

3.1.1.2 Surface Water Bodies [§354.14(d)(5)]

§354.14 Hydrogeological Conceptual Model.

(d) Physical characteristics of the basin shall be represented on one or more maps that depict the following:
(5) Surface water bodies that are significant to the management of the basin.

3.1.1.3 Imported Water [§354.14(d)(6)]

§354.14 Hydrogeological Conceptual Model.

(d) Physical characteristics of the basin shall be represented on one or more maps that depict the following:
(6) The source and point of delivery for imported water supplies.

3.1.2 Regional Geology [§354.14(b)(1),(d)(2), and (d)(3)]

§354.14 Hydrogeological Conceptual Model.

- (b) The hydrogeologic conceptual model shall be summarized in a written description that includes the following:*
- (1) The regional geologic and structural setting of the basin including the immediate surrounding area, as necessary for geologic consistency.*
 - (d) Physical characteristics of the basin shall be represented on one or more maps that depict the following:*
 - (2) Surficial geology derived from a qualified map including the locations of cross-sections required by this Section.*
 - (3) Soil characteristics as described by the appropriate Natural Resources Conservation Service soil survey or other applicable studies.*

3.1.3 Principal Aquifers and Aquitards [§354.14(b)(4)(A)]

§354.14 Hydrogeological Conceptual Model.

- (b) The hydrogeologic conceptual model shall be summarized in a written description that includes the following:*
- (4) Principal aquifers and aquitards, including the following information:*
 - (A) Formation names, if defined.*

3.1.3.1 Physical Properties of the Aquifers and Aquitards

3.1.3.1.1 Basin Boundary (Vertical and Lateral Extent of Basin) [§354.14(b)(2),(b)(3),(b)(4)(B), and (c)]

§ 354.14 Hydrogeological Conceptual Model.

- (b) The hydrogeologic conceptual model shall be summarized in a written description that includes the following:*
- (2) Lateral basin boundaries, including major geologic features that significantly affect groundwater flow.*
 - (3) The definable bottom of the basin.*
 - (4) Principal aquifers and aquitards, including the following information:*
 - (B) Physical properties of aquifers and aquitards, including the vertical and lateral extent, hydraulic conductivity, and storativity, which may be based on existing technical studies or other best available information.*
- (c) The hydrogeologic conceptual model shall be represented graphically by at least two scaled cross-sections that display the information required by this section and are sufficient to depict major stratigraphic and structural features in the basin.*

3.1.3.1.2 Groundwater Flow Barriers [§354.14(b)(4)(C) and (c)]

§354.14 Hydrogeological Conceptual Model.

- (b) The hydrogeologic conceptual model shall be summarized in a written description that includes the following:*
 - (4) Principal aquifers and aquitards, including the following information:*
 - (C) Structural properties of the basin that restrict groundwater flow within the principal aquifers, including information regarding stratigraphic changes, truncation of units, or other features.*
- (c) The hydrogeologic conceptual model shall be represented graphically by at least two scaled cross-sections that display the information required by this section and are sufficient to depict major stratigraphic and structural features in the basin.*

3.1.3.1.3 Hydraulic Properties [§354.14(b)(4)(B)]

§354.14 Hydrogeological Conceptual Model.

- (b) The hydrogeologic conceptual model shall be summarized in a written description that includes the following:*
 - (4) Principal aquifers and aquitards, including the following information:*
 - (B) Physical properties of aquifers and aquitards, including the vertical and lateral extent, hydraulic conductivity, and storativity, which may be based on existing technical studies or other best available information.*

3.1.3.2 Groundwater Recharge and Discharge Areas [§354.14(d)(4)]

§354.14 Hydrogeological Conceptual Model.

- (d) Physical characteristics of the basin shall be represented on one or more maps that depict the following:*
 - (4) Delineation of existing recharge areas that substantially contribute to the replenishment of the basin, potential recharge areas, and discharge areas, including significant active springs, seeps, and wetlands within or adjacent to the basin.*

3.1.3.3 Water Quality [§354.14(b)(4)(D)]

§354.14 Hydrogeological Conceptual Model.

- (b) The hydrogeologic conceptual model shall be summarized in a written description that includes the following:*
 - (4) Principal aquifers and aquitards, including the following information:*
 - (D) General water quality of the principal aquifers, which may be based on information derived from existing technical studies or regulatory programs.*

3.1.3.4 Primary Beneficial Uses [§354.14(b)(4)(E)]

§354.14 Hydrogeological Conceptual Model.

(b) The hydrogeologic conceptual model shall be summarized in a written description that includes the following:

(4) Principal aquifers and aquitards, including the following information:

(E) Identification of the primary use or uses of each aquifer, such as domestic, irrigation, or municipal water supply.

3.1.4 Data Gaps and Uncertainty [§354.14(b)(5)]

§354.14 Hydrogeological Conceptual Model.

(b) The hydrogeologic conceptual model shall be summarized in a written description that includes the following:

(5) Identification of data gaps and uncertainty within the hydrogeologic conceptual model.

3.2 Groundwater Conditions [§354.16]

3.2.1 Groundwater Elevations [§354.16(a)]

3.2.1.1 Groundwater Elevation Contours [§354.16(a)(1)]

§354.16 Groundwater Conditions. *Each Plan shall provide a description of current and historical groundwater conditions in the basin, including data from January 1, 2015, to current conditions, based on the best available information that includes the following:*

(a) Groundwater elevation data demonstrating flow directions, lateral and vertical gradients, and regional pumping patterns, including:

(1) Groundwater elevation contour maps depicting the groundwater table or potentiometric surface associated with the current seasonal high and seasonal low for each principal aquifer within the basin.

3.2.1.2 Groundwater Elevation Hydrographs [§354.16(a)(2)]

§354.16 Groundwater Conditions. *Each Plan shall provide a description of current and historical groundwater conditions in the basin, including data from January 1, 2015, to current conditions, based on the best available information that includes the following:*

- (a) Groundwater elevation data demonstrating flow directions, lateral and vertical gradients, and regional pumping patterns, including:*
- (2) Hydrographs depicting long-term groundwater elevations, historical highs and lows, and hydraulic gradients between principal aquifers.*

3.2.2 Change in Storage [§354.16(b)]

§354.16 Groundwater Conditions. *Each Plan shall provide a description of current and historical groundwater conditions in the basin, including data from January 1, 2015, to current conditions, based on the best available information that includes the following:*

- (b) A graph depicting estimates of the change in groundwater in storage, based on data, demonstrating the annual and cumulative change in the volume of groundwater in storage between seasonal high groundwater conditions, including the annual groundwater use and water year type.*

3.2.3 Seawater Intrusion [§354.16(c)]

§354.16 Groundwater Conditions. *Each Plan shall provide a description of current and historical groundwater conditions in the basin, including data from January 1, 2015, to current conditions, based on the best available information that includes the following:*

- (c) Seawater intrusion conditions in the basin, including maps and cross-sections of the seawater intrusion front for each principal aquifer.*

3.2.4 Groundwater Quality Impacts [§354.16(d)]

§354.16 Groundwater Conditions. *Each Plan shall provide a description of current and historical groundwater conditions in the basin, including data from January 1, 2015, to current conditions, based on the best available information that includes the following:*

- (d) Groundwater quality issues that may affect the supply and beneficial uses of groundwater, including a description and map of the location of known groundwater contamination sites and plumes*

3.2.5 Land Subsidence [§354.16(e)]

§354.16 Groundwater Conditions. *Each Plan shall provide a description of current and historical groundwater conditions in the basin, including data from January 1, 2015, to current conditions, based on the best available information that includes the following:*

- (e) The extent, cumulative total, and annual rate of land subsidence, including maps depicting total subsidence, utilizing data available from the Department, as specified in Section 353.2, or the best available information.*

3.2.6 Interconnected Surface Water Systems [§354.16(f)]

§354.16 Groundwater Conditions. *Each Plan shall provide a description of current and historical groundwater conditions in the basin, including data from January 1, 2015, to current conditions, based on the best available information that includes the following:*

- (f) Identification of interconnected surface water systems within the basin and an estimate of the quantity and timing of depletions of those systems, utilizing data available from the Department, as specified in Section 353.2, or the best available information.*

3.2.7 Groundwater Dependent Ecosystems [§354.16(g)]

§354.16 Groundwater Conditions. *Each Plan shall provide a description of current and historical groundwater conditions in the basin, including data from January 1, 2015, to current conditions, based on the best available information that includes the following:*

- (g) Identification of groundwater dependent ecosystems within the basin, utilizing data available from the Department, as specified in Section 353.2, or the best available information.*

3.3 Water Budget [§354.18]

§354.18 Water Budget.

- (a) *Each Plan shall include a water budget for the basin that provides an accounting and assessment of the total annual volume of groundwater and surface water entering and leaving the basin, including historical, current and projected water budget conditions, and the change in the volume of water stored. Water budget information shall be reported in tabular and graphical form.*
- (b) *The water budget shall quantify the following, either through direct measurements or estimates based on data:*
 - (1) *Total surface water entering and leaving a basin by water source type.*
 - (2) *Inflow to the groundwater system by water source type, including subsurface groundwater inflow and infiltration of precipitation, applied water, and surface water systems, such as lakes, streams, rivers, canals, springs and conveyance systems.*
 - (3) *Outflows from the groundwater system by water use sector, including evapotranspiration, groundwater extraction, groundwater discharge to surface water sources, and subsurface groundwater outflow.*
 - (4) *The change in the annual volume of groundwater in storage between seasonal high conditions.*
 - (5) *If overdraft conditions occur, as defined in Bulletin 118, the water budget shall include a quantification of overdraft over a period of years during which water year and water supply conditions approximate average conditions.*
 - (6) *The water year type associated with the annual supply, demand, and change in groundwater stored.*

3.3.1 Historical Water Budget [§354.18(c)(2)(B)]

§354.18 Water Budget.

- (c) *Each Plan shall quantify the current, historical, and projected water budget for the basin as follows:*
 - (2) *Historical water budget information shall be used to evaluate availability or reliability of past surface water supply deliveries and aquifer response to water supply and demand trends relative to water year type. The historical water budget shall include the following:*
 - (B) *A quantitative assessment of the historical water budget, starting with the most recently available information and extending back a minimum of 10 years, or as is sufficient to calibrate and reduce the uncertainty of the tools and methods used to estimate and project future water budget information and future aquifer response to proposed sustainable groundwater management practices over the planning and implementation horizon.*

3.3.1.1 Reliability of Historical Surface Water Supplies [§354.18(c)(2)(A)]

§354.18 Water Budget.

- (c) Each Plan shall quantify the current, historical, and projected water budget for the basin as follows:*
 - (2) Historical water budget information shall be used to evaluate availability or reliability of past surface water supply deliveries and aquifer response to water supply and demand trends relative to water year type. The historical water budget shall include the following:*
 - (A) A quantitative evaluation of the availability or reliability of historical surface water supply deliveries as a function of the historical planned versus actual annual surface water deliveries, by surface water source and water year type, and based on the most recent ten years of surface water supply information.*

3.3.1.2 Impact of Historical Conditions on Basin Operations [§354.18(c)(2)(C)]

§354.18 Water Budget.

- (c) Each Plan shall quantify the current, historical, and projected water budget for the basin as follows:*
 - (2) Historical water budget information shall be used to evaluate availability or reliability of past surface water supply deliveries and aquifer response to water supply and demand trends relative to water year type. The historical water budget shall include the following:*
 - (C) A quantitative assessment of the historical water budget, starting with the most recently available information and extending back a minimum of 10 years, or as is sufficient to calibrate and reduce the uncertainty of the tools and methods used to estimate and project future water budget information and future aquifer response to proposed sustainable groundwater management practices over the planning and implementation horizon.*

3.3.2 Current Water Budget [§354.18(c)(1)]

§354.18 Water Budget.

- (c) Each Plan shall quantify the current, historical, and projected water budget for the basin as follows:*
 - (1) Current water budget information shall quantify current inflows and outflows for the basin using the most recent hydrology, water supply, water demand, and land use information.*

3.3.3 Projected Water Budget

**3.3.3.1 Projected Water Budget Calculation Methods
[§354.18(d)(1),(d)(2),(d)(3),(e), and (f)]**

§354.18 Water Budget.

- (d) The Agency shall utilize the following information provided, as available, by the Department pursuant to Section 353.2, or other data of comparable quality, to develop the water budget:*
- (1) Historical water budget information for mean annual temperature, mean annual precipitation, water year type, and land use.*
 - (2) Current water budget information for temperature, water year type, evapotranspiration, and land use.*
 - (3) Projected water budget information for population, population growth, climate change, and sea level rise.*
- (e) Each Plan shall rely on the best available information and best available science to quantify the water budget for the basin in order to provide an understanding of historical and projected hydrology, water demand, water supply, land use, population, climate change, sea level rise, groundwater and surface water interaction, and subsurface groundwater flow. If a numerical groundwater and surface water model is not used to quantify and evaluate the projected water budget conditions and the potential impacts to beneficial uses and users of groundwater, the Plan shall identify and describe an equally effective method, tool, or analytical model to evaluate projected water budget conditions.*
- (f) The Department shall provide the California Central Valley Groundwater-Surface Water Simulation Model (C2VSIM) and the Integrated Water Flow Model (IWFM) for use by Agencies in developing the water budget. Each Agency may choose to use a different groundwater and surface water model, pursuant to Section 352.4.*

3.3.3.1.1 Projected Hydrology [§354.18(c)(3)(A)]

§354.18 Water Budget.

- (c) Each Plan shall quantify the current, historical, and projected water budget for the basin as follows:*
- (3) Projected water budgets shall be used to estimate future baseline conditions of supply, demand, and aquifer response to Plan implementation, and to identify the uncertainties of these projected water budget components. The projected water budget shall utilize the following methodologies and assumptions to estimate future baseline conditions concerning hydrology, water demand and surface water supply availability or reliability over the planning and implementation horizon:*
 - (A) Projected hydrology shall utilize 50 years of historical precipitation, evapotranspiration, and streamflow information as the baseline condition for estimating future hydrology. The projected hydrology information shall also be applied as the baseline condition used to evaluate future scenarios of hydrologic uncertainty associated with projections of climate change and sea level rise.*

3.3.3.1.2 Projected Water Demand[§354.18(c)(3)(B)]

§354.18 Water Budget.

(c) Each Plan shall quantify the current, historical, and projected water budget for the basin as follows:

(3) Projected water budgets shall be used to estimate future baseline conditions of supply, demand, and aquifer response to Plan implementation, and to identify the uncertainties of these projected water budget components. The projected water budget shall utilize the following methodologies and assumptions to estimate future baseline conditions concerning hydrology, water demand and surface water supply availability or reliability over the planning and implementation horizon:

(B) Projected water demand shall utilize the most recent land use, evapotranspiration, and crop coefficient information as the baseline condition for estimating future water demand. The projected water demand information shall also be applied as the baseline condition used to evaluate future scenarios of water demand uncertainty associated with projected changes in local land use planning, population growth, and climate.

3.3.3.1.3 *Projected Surface Water Supply [§354.18(c)(3)(C)]*

§354.18 Water Budget.

(c) Each Plan shall quantify the current, historical, and projected water budget for the basin as follows:

(3) Projected water budgets shall be used to estimate future baseline conditions of supply, demand, and aquifer response to Plan implementation, and to identify the uncertainties of these projected water budget components. The projected water budget shall utilize the following methodologies and assumptions to estimate future baseline conditions concerning hydrology, water demand and surface water supply availability or reliability over the planning and implementation horizon:

(C) Projected hydrology shall utilize 50 years of historical precipitation, evapotranspiration, and streamflow information as the baseline condition for estimating future hydrology. The projected hydrology information shall also be applied as the baseline condition used to evaluate future scenarios of hydrologic uncertainty associated with projections of climate change and sea level rise.

3.3.3.2 Projected Water Budget

3.3.4 Sustainable Yield Estimate [§354.18(b)(7)]

§354.18 Water Budget.

(b) The water budget shall quantify the following, either through direct measurements or estimates based on data:

(7) An estimate of sustainable yield for the basin.

3.4 Management Areas [§354.20]

3.4.1 Introduction to Management Areas [§354.20(a) and (c)]

§354.20 Management Area.

- (a) Each Agency may define one or more management areas within a basin if the Agency has determined that creation of management areas will facilitate implementation of the Plan. Management areas may define different minimum thresholds and be operated to different measurable objectives than the basin at large, provided that undesirable results are defined consistently throughout the basin.*
- (c) If a Plan includes one or more management areas, the Plan shall include descriptions, maps, and other information required by this Subarticle sufficient to describe conditions in those areas.*

3.4.2 Management Area A (there will be a section for each management area)

3.4.2.1 Management Area Characteristics and Purpose [§354.20(b)(1)]

§354.20 Management Area.

- (b) A basin that includes one or more management areas shall describe the following in the Plan:
 - (1) The reason for the creation of each management area.**

3.4.2.2 Management Area Minimum Thresholds and Measurable Objectives [§354.20(b)(2) and (b)(4)]

§354.20 Management Area.

- (b) A basin that includes one or more management areas shall describe the following in the Plan:
 - (2) The minimum thresholds and measurable objectives established for each management area, and an explanation of the rationale for selecting those values, if different from the basin at large.*
 - (4) An explanation of how the management area can operate under different minimum thresholds and measurable objectives without causing undesirable results outside the management area, if applicable.**

3.4.2.3 Management Area Monitoring and Analysis [§354.20(b)(3)]

§354.20 Management Area.

- (b) A basin that includes one or more management areas shall describe the following in the Plan:
 - (3) The level of monitoring and analysis appropriate for each management area.**

4.0 Sustainable Management Criteria [Article 5, SubArticle 3]

4.1 Introduction to Sustainable Management Criteria [§354.22]

§354.22 Introduction to Sustainable Management Criteria. *This Subarticle describes criteria by which an Agency defines conditions in its Plan that constitute sustainable groundwater management for the basin, including the process by which the Agency shall characterize undesirable results, and establish minimum thresholds and measurable objectives for each applicable sustainability indicator.*

Basic introductory paragraph.

4.2 Sustainability Goal [§354.24]

§354.24 Sustainability Goal. *Each Agency shall establish in its Plan a sustainability goal for the basin that culminates in the absence of undesirable results within 20 years of the applicable statutory deadline. The Plan shall include a description of the sustainability goal, including information from the basin setting used to establish the sustainability goal, a discussion of the measures that will be implemented to ensure that the basin will be operated within its sustainable yield, and an explanation of how the sustainability goal is likely to be achieved within 20 years of Plan implementation and is likely to be maintained through the planning and implementation horizon.*

4.3 Process for Establishing Sustainable Management Criteria [§354.26(a)]

§354.26 Undesirable Results.

(a) *Each Agency shall describe in its Plan the processes and criteria relied upon to define undesirable results applicable to the basin. Undesirable results occur when significant and unreasonable effects for any of the sustainability indicators are caused by groundwater conditions occurring throughout the basin.*

Introduces the sustainability indicators here, where they are representing the undesirable results. Also disclose which sustainability indicators to not apply ----

4.4 Chronic Lowering of Groundwater Levels

4.4.1 Undesirable Results [§354.26(a)]

§354.26 Undesirable Results.

(a) *Each Agency shall describe in its Plan the processes and criteria relied upon to define undesirable results applicable to the basin. Undesirable results occur when significant and unreasonable effects for any of the sustainability indicators are caused by groundwater conditions occurring throughout the basin.*

4.4.1.1 Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (1) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

This following intro section generally describes the URs, MTs, and MOs for the sustainability indicator

4.4.1.2 Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (2) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

(d) An Agency that is able to demonstrate that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin shall not be required to establish criteria for undesirable results related to those sustainability indicators.

4.4.1.3 Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (3) Potential effects on the beneficial uses and users of groundwater, on land uses and property interests, and other potential effects that may occur or are occurring from undesirable results.*

4.4.2 Minimum Thresholds [§354.28]

4.4.2.1 Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(1)(A),(c)(1)(B), and (e)]

§54.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (1) The information and criteria relied upon to establish and justify the minimum thresholds for each sustainability indicator. The justification for the minimum threshold shall be supported by information provided in the basin setting, and other data or models as appropriate, and qualified by the uncertainty in the understanding of the basin setting.*

(c) Minimum thresholds for each sustainability indicator shall be defined as follows:

- (1) Chronic Lowering of Groundwater Levels. The minimum threshold for chronic lowering of groundwater levels shall be the groundwater elevation indicating a depletion of supply at a given location that may lead to undesirable results. Minimum thresholds for chronic lowering of groundwater levels shall be supported by the following:*

(A) The rate of groundwater elevation decline based on historical trend, water year type, and projected water use in the basin.

(B) Potential effects on other sustainability indicators.

(e) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish minimum thresholds related to those sustainability indicators.

4.4.2.2 Quantification of Minimum Thresholds [§354.28(a)]

§354.28 Minimum Thresholds.

(a) Each Agency in its Plan shall establish minimum thresholds that quantify groundwater conditions for each applicable sustainability indicator at each monitoring site or representative monitoring site established pursuant to Section 354.36. The numeric value used to define minimum thresholds shall represent a point in the basin that, if exceeded, may cause undesirable results as described in Section 354.26.

4.4.2.2.1 Evaluation of Multiple Minimum Thresholds [§354.26(c)]

§354.26 Undesirable Results.

(c) The Agency may need to evaluate multiple minimum thresholds to determine whether an undesirable result is occurring in the basin. The determination that undesirable results are occurring may depend upon measurements from multiple monitoring sites, rather than a single monitoring site.

4.4.2.2.2 Evaluation of Representative Minimum Thresholds [§354.28(d)]

§354.28 Minimum Thresholds.

(d) An Agency may establish a representative minimum threshold for groundwater elevation to serve as the value for multiple sustainability indicators, where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual minimum thresholds as supported by adequate evidence.

4.4.2.3 Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (2) The relationship between the minimum thresholds for each sustainability indicator, including an explanation of how the Agency has determined that basin conditions at each minimum threshold will avoid undesirable results for each of the sustainability indicators.*

4.4.2.4 Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (3) How minimum thresholds have been selected to avoid causing undesirable results in adjacent basins or affecting the ability of adjacent basins to achieve sustainability goals.*

**4.4.2.5 Impact of Minimum Thresholds on Beneficial Uses and Users
[§354.28(b)(4)]**

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (4) How minimum thresholds may affect the interests of beneficial uses and users of groundwater or land uses and property interests.*

4.4.2.6 Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (5) How state, federal, or local standards relate to the relevant sustainability indicator. If the minimum threshold differs from other regulatory standards, the Agency shall explain the nature of and basis for the difference.*

4.4.2.7 Measurement of Minimum Thresholds [§354.28(b)(6)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (6) How each minimum threshold will be quantitatively measured, consistent with the monitoring network requirements described in Subarticle 4.*

4.4.3 Measurable Objectives and Interim Milestones [§354.30]

§354.30 Measurable Objectives.

- (a) Each Agency shall establish measurable objectives, including interim milestones in increments of five years, to achieve the sustainability goal for the basin within 20 years of Plan implementation and to continue to sustainably manage the groundwater basin over the planning and implementation horizon.*

4.4.3.1 Description of Measurable Objectives

4.4.3.1.1 Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]

§354.30 Measurable Objectives.

(b) Measurable objectives shall be established for each sustainability indicator, based on quantitative values using the same metrics and monitoring sites as are used to define the minimum thresholds.

4.4.3.2 Operational Flexibility [§354.30(c) and (g)]

§354.30 Measurable Objectives.

(c) Measurable objectives shall provide a reasonable margin of operational flexibility under adverse conditions which shall take into consideration components such as historical water budgets, seasonal and long-term trends, and periods of drought, and be commensurate with levels of uncertainty.

(g) An Agency may establish measurable objectives that exceed the reasonable margin of operational flexibility for the purpose of improving overall conditions in the basin, but failure to achieve those objectives shall not be grounds for a finding of inadequacy of the Plan.

Paragraph(s) describing flexibility – refer to other sections where needed.

4.4.3.3 Representative Monitoring [§354.30(d)]

§354.30 Measurable Objectives

(d) An Agency may establish a representative measurable objective for groundwater elevation to serve as the value for multiple sustainability indicators where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual measurable objectives as supported by adequate evidence.

4.4.3.4 Path to Achieve Measurable Objectives [§354.30(e)]

§354.30 Measurable Objective.

(e) Each Plan shall describe a reasonable path to achieve the sustainability goal for the basin with 20 years of Plan implementation, including a description of interim milestones for each relevant sustainability indicator, using the same metric as the measurable objective, in increments of five years. The description shall explain how the Plan is likely to maintain sustainable groundwater management over the planning and implementation horizon.

4.5 Reduction of Groundwater Storage

4.5.1 Undesirable Results [§354.26(a)]

§354.26 Undesirable Results.

(a) Each Agency shall describe in its Plan the processes and criteria relied upon to define undesirable results applicable to the basin. Undesirable results occur when significant and unreasonable effects for any of the sustainability indicators are caused by groundwater conditions occurring throughout the basin.

4.5.1.1 Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (1) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

This following intro section generally describes the URs, MTs, and MOs for the sustainability indicator

4.5.1.2 Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (2) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

(d) An Agency that is able to demonstrate that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin shall not be required to establish criteria for undesirable results related to those sustainability indicators.

4.5.1.3 Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (3) Potential effects on the beneficial uses and users of groundwater, on land uses and property interests, and other potential effects that may occur or are occurring from undesirable results.*

4.5.2 Minimum Thresholds [§354.28]

4.5.2.1 Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(2), and (e)]

§354.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (1) The information and criteria relied upon to establish and justify the minimum thresholds for each sustainability indicator. The justification for the minimum threshold shall be supported by information provided in the basin setting, and other data or models as appropriate, and qualified by the uncertainty in the understanding of the basin setting.*
- (c) Minimum thresholds for each sustainability indicator shall be defined as follows:*
- (2) Reduction of Groundwater Storage. The minimum threshold for reduction of groundwater storage shall be a total volume of groundwater that can be withdrawn from the basin without causing conditions that may lead to undesirable results. Minimum thresholds for reduction of groundwater storage shall be supported by the sustainable yield of the basin, calculated based on historical trends, water year type, and projected water use in the basin.*
- (e) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish minimum thresholds related to those sustainability indicators.*

4.5.2.2 Quantification of Minimum Thresholds [§354.28(a)]

§354.28 Minimum Thresholds.

- (a) Each Agency in its Plan shall establish minimum thresholds that quantify groundwater conditions for each applicable sustainability indicator at each monitoring site or representative monitoring site established pursuant to Section 354.36. The numeric value used to define minimum thresholds shall represent a point in the basin that, if exceeded, may cause undesirable results as described in Section 354.26.*

4.5.2.2.1 Evaluation of Multiple Minimum Thresholds [§354.26(c)]

§354.26 Undesirable Results.

- (c) The Agency may need to evaluate multiple minimum thresholds to determine whether an undesirable result is occurring in the basin. The determination that undesirable results are occurring may depend upon measurements from multiple monitoring sites, rather than a single monitoring site.*

4.5.2.2.2 Evaluation of Representative Minimum Thresholds [§354.28(d)]

§354.28 Minimum Thresholds.

- (d) An Agency may establish a representative minimum threshold for groundwater elevation to serve as the value for multiple sustainability indicators, where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual minimum thresholds as supported by adequate evidence.*

4.5.2.3 Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]

§354.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (2) The relationship between the minimum thresholds for each sustainability indicator, including an explanation of how the Agency has determined that basin conditions at each minimum threshold will avoid undesirable results for each of the sustainability indicators.*

4.5.2.4 Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]

§354.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (3) How minimum thresholds have been selected to avoid causing undesirable results in adjacent basins or affecting the ability of adjacent basins to achieve sustainability goals.*

4.5.2.5 Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]

§354.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (4) How minimum thresholds may affect the interests of beneficial uses and users of groundwater or land uses and property interests.*

4.5.2.6 Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]

§354.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (5) How state, federal, or local standards relate to the relevant sustainability indicator. If the minimum threshold differs from other regulatory standards, the Agency shall explain the nature of and basis for the difference.*

4.5.2.7 Measurement of Minimum Thresholds [§354.28(b)(6)]

§354.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (6) How each minimum threshold will be quantitatively measured, consistent with the monitoring network requirements described in Subarticle 4.*

4.5.3 Measurable Objectives and Interim Milestones [§354.30]

§354.30 Measurable Objectives.

(a) Each Agency shall establish measurable objectives, including interim milestones in increments of five years, to achieve the sustainability goal for the basin within 20 years of Plan implementation and to continue to sustainably manage the groundwater basin over the planning and implementation horizon.

4.5.3.1 Description of Measurable Objectives

4.5.3.1.1 Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]

§354.30 Measurable Objectives.

(b) Measurable objectives shall be established for each sustainability indicator, based on quantitative values using the same metrics and monitoring sites as are used to define the minimum thresholds.

4.5.3.2 Operational Flexibility [§354.30(c) and (g)]

§354.30 Measurable Objectives.

(c) Measurable objectives shall provide a reasonable margin of operational flexibility under adverse conditions which shall take into consideration components such as historical water budgets, seasonal and long-term trends, and periods of drought, and be commensurate with levels of uncertainty.

(g) An Agency may establish measurable objectives that exceed the reasonable margin of operational flexibility for the purpose of improving overall conditions in the basin, but failure to achieve those objectives shall not be grounds for a finding of inadequacy of the Plan.

Paragraph(s) describing flexibility – refer to other sections where needed.

4.5.3.3 Representative Monitoring [§354.30(d)]

§354.30 Measurable Objectives

(d) An Agency may establish a representative measurable objective for groundwater elevation to serve as the value for multiple sustainability indicators where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual measurable objectives as supported by adequate evidence.

4.5.3.4 Path to Achieve Measurable Objectives [§354.30(e)]

§354.30 Measurable Objective.

(e) Each Plan shall describe a reasonable path to achieve the sustainability goal for the basin with 20 years of Plan implementation, including a description of interim milestones for each relevant sustainability indicator, using the same metric as the measurable objective, in increments of five years. The description shall explain how the Plan is likely to maintain sustainable groundwater management over the planning and implementation horizon.

4.6 Seawater Intrusion

4.6.1 Undesirable Results [§354.26(a)]

§354.26 Undesirable Results.

(a) Each Agency shall describe in its Plan the processes and criteria relied upon to define undesirable results applicable to the basin. Undesirable results occur when significant and unreasonable effects for any of the sustainability indicators are caused by groundwater conditions occurring throughout the basin.

4.6.1.1 Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (1) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

This following intro section generally describes the URs, MTs, and MOs for the sustainability indicator

4.6.1.2 Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (2) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

(d) An Agency that is able to demonstrate that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin shall not be required to establish criteria for undesirable results related to those sustainability indicators.

4.6.1.3 Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (3) Potential effects on the beneficial uses and users of groundwater, on land uses and property interests, and other potential effects that may occur or are occurring from undesirable results.*

4.6.2 Minimum Thresholds [§354.28]

4.6.2.1 Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(3)(A),(c)(3)(B), and (e)]

§54.28 Minimum Thresholds.

- (b)** *The description of minimum thresholds shall include the following:*
- (1)** *The information and criteria relied upon to establish and justify the minimum thresholds for each sustainability indicator. The justification for the minimum threshold shall be supported by information provided in the basin setting, and other data or models as appropriate, and qualified by the uncertainty in the understanding of the basin setting.*
- (c)** *Minimum thresholds for each sustainability indicator shall be defined as follows:*
- (3)** *Seawater Intrusion. The minimum threshold for seawater intrusion shall be defined by a chloride concentration isocontour for each principal aquifer where seawater intrusion may lead to undesirable results. Minimum thresholds for seawater intrusion shall be supported by the following:*
 - (A)** *Maps and cross-sections of the chloride concentration isocontour that defines the minimum threshold and measurable objective for each principal aquifer.*
 - (B)** *A description of how the seawater intrusion minimum threshold considers the effects of current and projected sea levels.*
- (e)** *An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish minimum thresholds related to those sustainability indicators.*

4.6.2.2 Quantification of Minimum Thresholds [§354.28(a)]

§354.28 Minimum Thresholds.

- (a)** *Each Agency in its Plan shall establish minimum thresholds that quantify groundwater conditions for each applicable sustainability indicator at each monitoring site or representative monitoring site established pursuant to Section 354.36. The numeric value used to define minimum thresholds shall represent a point in the basin that, if exceeded, may cause undesirable results as described in Section 354.26.*

4.6.2.2.1 Evaluation of Multiple Minimum Thresholds [§354.26(c)]

§354.26 Undesirable Results.

- (c)** *The Agency may need to evaluate multiple minimum thresholds to determine whether an undesirable result is occurring in the basin. The determination that undesirable results are occurring may depend upon measurements from multiple monitoring sites, rather than a single monitoring site.*

4.6.2.2.2 Evaluation of Representative Minimum Thresholds [§354.28(d)]

§354.28 Minimum Thresholds.

(d) An Agency may establish a representative minimum threshold for groundwater elevation to serve as the value for multiple sustainability indicators, where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual minimum thresholds as supported by adequate evidence.

**4.6.2.3 Relationships Between Minimum Thresholds and Sustainability Indicators
[§354.28(b)(2)]**

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(2) The relationship between the minimum thresholds for each sustainability indicator, including an explanation of how the Agency has determined that basin conditions at each minimum threshold will avoid undesirable results for each of the sustainability indicators.

4.6.2.4 Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(3) How minimum thresholds have been selected to avoid causing undesirable results in adjacent basins or affecting the ability of adjacent basins to achieve sustainability goals.

**4.6.2.5 Impact of Minimum Thresholds on Beneficial Uses and Users
[§354.28(b)(4)]**

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(4) How minimum thresholds may affect the interests of beneficial uses and users of groundwater or land uses and property interests.

4.6.2.6 Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(5) How state, federal, or local standards relate to the relevant sustainability indicator. If the minimum threshold differs from other regulatory standards, the Agency shall explain the nature of and basis for the difference.

4.6.2.7 Measurement of Minimum Thresholds [§354.28(b)(6)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (6) How each minimum threshold will be quantitatively measured, consistent with the monitoring network requirements described in Subarticle 4.*

4.6.3 Measurable Objectives and Interim Milestones [§354.30]

§354.30 Measurable Objectives.

(a) Each Agency shall establish measurable objectives, including interim milestones in increments of five years, to achieve the sustainability goal for the basin within 20 years of Plan implementation and to continue to sustainably manage the groundwater basin over the planning and implementation horizon.

4.6.3.1 Description of Measurable Objectives

4.6.3.1.1 Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]

§354.30 Measurable Objectives.

(b) Measurable objectives shall be established for each sustainability indicator, based on quantitative values using the same metrics and monitoring sites as are used to define the minimum thresholds.

4.6.3.2 Operational Flexibility [§354.30(c) and (g)]

§354.30 Measurable Objectives.

(c) Measurable objectives shall provide a reasonable margin of operational flexibility under adverse conditions which shall take into consideration components such as historical water budgets, seasonal and long-term trends, and periods of drought, and be commensurate with levels of uncertainty.

(g) An Agency may establish measurable objectives that exceed the reasonable margin of operational flexibility for the purpose of improving overall conditions in the basin, but failure to achieve those objectives shall not be grounds for a finding of inadequacy of the Plan.

Paragraph(s) describing flexibility – refer to other sections where needed.

4.6.3.3 Representative Monitoring [§354.30(d)]

§354.30 Measurable Objectives

(d) An Agency may establish a representative measurable objective for groundwater elevation to serve as the value for multiple sustainability indicators where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual measurable objectives as supported by adequate evidence.

4.6.3.4 Path to Achieve Measurable Objectives [§354.30(e)]

§354.30 Measurable Objective.

(e) Each Plan shall describe a reasonable path to achieve the sustainability goal for the basin with 20 years of Plan implementation, including a description of interim milestones for each relevant sustainability indicator, using the same metric as the measurable objective, in increments of five years. The description shall explain how the Plan is likely to maintain sustainable groundwater management over the planning and implementation horizon.

4.7 Degraded Water Quality

4.7.1 Undesirable Results [§354.26(a)]

§354.26 Undesirable Results.

(a) Each Agency shall describe in its Plan the processes and criteria relied upon to define undesirable results applicable to the basin. Undesirable results occur when significant and unreasonable effects for any of the sustainability indicators are caused by groundwater conditions occurring throughout the basin.

4.7.1.1 Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (1) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

This following intro section generally describes the URs, MTs, and MOs for the sustainability indicator

4.7.1.2 Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (2) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

(d) An Agency that is able to demonstrate that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin shall not be required to establish criteria for undesirable results related to those sustainability indicators.

4.7.1.3 Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (3) Potential effects on the beneficial uses and users of groundwater, on land uses and property interests, and other potential effects that may occur or are occurring from undesirable results.*

4.7.2 Minimum Thresholds [§354.28]

4.7.2.1 Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(4), and (e)]

§54.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (1) The information and criteria relied upon to establish and justify the minimum thresholds for each sustainability indicator. The justification for the minimum threshold shall be supported by information provided in the basin setting, and other data or models as appropriate, and qualified by the uncertainty in the understanding of the basin setting.*
- (c) Minimum thresholds for each sustainability indicator shall be defined as follows:*
- (4) Degraded Water Quality. The minimum threshold for degraded water quality shall be the degradation of water quality, including the migration of contaminant plumes that impair water supplies or other indicator of water quality as determined by the Agency that may lead to undesirable results. The minimum threshold shall be based on the number of supply wells, a volume of water, or a location of an isocontour that exceeds concentrations of constituents determined by the Agency to be of concern for the basin. In setting minimum thresholds for degraded water quality, the Agency shall consider local, state, and federal water quality standards applicable to the basin.*
- (e) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish minimum thresholds related to those sustainability indicators.*

4.7.2.2 Quantification of Minimum Thresholds [§354.28(a)]

§354.28 Minimum Thresholds.

- (a) Each Agency in its Plan shall establish minimum thresholds that quantify groundwater conditions for each applicable sustainability indicator at each monitoring site or representative monitoring site established pursuant to Section 354.36. The numeric value used to define minimum thresholds shall represent a point in the basin that, if exceeded, may cause undesirable results as described in Section 354.26.*

4.7.2.2.1 Evaluation of Multiple Minimum Thresholds [§354.26(c)]

§354.26 Undesirable Results.

- (c) The Agency may need to evaluate multiple minimum thresholds to determine whether an undesirable result is occurring in the basin. The determination that undesirable results are occurring may depend upon measurements from multiple monitoring sites, rather than a single monitoring site.*

4.7.2.2.2 Evaluation of Representative Minimum Thresholds [§354.28(d)]

§354.28 Minimum Thresholds.

(d) An Agency may establish a representative minimum threshold for groundwater elevation to serve as the value for multiple sustainability indicators, where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual minimum thresholds as supported by adequate evidence.

**4.7.2.3 Relationships Between Minimum Thresholds and Sustainability Indicators
[§354.28(b)(2)]**

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(2) The relationship between the minimum thresholds for each sustainability indicator, including an explanation of how the Agency has determined that basin conditions at each minimum threshold will avoid undesirable results for each of the sustainability indicators.

4.7.2.4 Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(3) How minimum thresholds have been selected to avoid causing undesirable results in adjacent basins or affecting the ability of adjacent basins to achieve sustainability goals.

**4.7.2.5 Impact of Minimum Thresholds on Beneficial Uses and Users
[§354.28(b)(4)]**

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(4) How minimum thresholds may affect the interests of beneficial uses and users of groundwater or land uses and property interests.

4.7.2.6 Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(5) How state, federal, or local standards relate to the relevant sustainability indicator. If the minimum threshold differs from other regulatory standards, the Agency shall explain the nature of and basis for the difference.

4.7.2.7 Measurement of Minimum Thresholds [§354.28(b)(6)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (6) How each minimum threshold will be quantitatively measured, consistent with the monitoring network requirements described in Subarticle 4.*

4.7.3 Measurable Objectives and Interim Milestones [§354.30]

§354.30 Measurable Objectives.

(a) Each Agency shall establish measurable objectives, including interim milestones in increments of five years, to achieve the sustainability goal for the basin within 20 years of Plan implementation and to continue to sustainably manage the groundwater basin over the planning and implementation horizon.

4.7.3.1 Description of Measurable Objectives

4.7.3.1.1 Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]

§354.30 Measurable Objectives.

(b) Measurable objectives shall be established for each sustainability indicator, based on quantitative values using the same metrics and monitoring sites as are used to define the minimum thresholds.

4.7.3.2 Operational Flexibility [§354.30(c) and (g)]

§354.30 Measurable Objectives.

(c) Measurable objectives shall provide a reasonable margin of operational flexibility under adverse conditions which shall take into consideration components such as historical water budgets, seasonal and long-term trends, and periods of drought, and be commensurate with levels of uncertainty.

(g) An Agency may establish measurable objectives that exceed the reasonable margin of operational flexibility for the purpose of improving overall conditions in the basin, but failure to achieve those objectives shall not be grounds for a finding of inadequacy of the Plan.

Paragraph(s) describing flexibility – refer to other sections where needed.

4.7.3.3 Representative Monitoring [§354.30(d)]

§354.30 Measurable Objectives

(d) An Agency may establish a representative measurable objective for groundwater elevation to serve as the value for multiple sustainability indicators where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual measurable objectives as supported by adequate evidence.

4.7.3.4 Path to Achieve Measurable Objectives [§354.30(e)]

§354.30 Measurable Objective.

(e) Each Plan shall describe a reasonable path to achieve the sustainability goal for the basin with 20 years of Plan implementation, including a description of interim milestones for each relevant sustainability indicator, using the same metric as the measurable objective, in increments of five years. The description shall explain how the Plan is likely to maintain sustainable groundwater management over the planning and implementation horizon.

4.8 Land Subsidence

4.8.1 Undesirable Results [§354.26(a)]

§354.26 Undesirable Results.

(a) Each Agency shall describe in its Plan the processes and criteria relied upon to define undesirable results applicable to the basin. Undesirable results occur when significant and unreasonable effects for any of the sustainability indicators are caused by groundwater conditions occurring throughout the basin.

4.8.1.1 Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (1) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

This following intro section generally describes the URs, MTs, and MOs for the sustainability indicator

4.8.1.2 Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]

§354.26 Undesirable Results.

- (b) The description of undesirable results shall include the following:*
- (2) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*
 - (d) An Agency that is able to demonstrate that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin shall not be required to establish criteria for undesirable results related to those sustainability indicators.*

4.8.1.3 Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]

§354.26 Undesirable Results.

- (b) The description of undesirable results shall include the following:*
- (3) Potential effects on the beneficial uses and users of groundwater, on land uses and property interests, and other potential effects that may occur or are occurring from undesirable results.*

4.8.2 Minimum Thresholds [§354.28]

4.8.2.1 Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(5)(A),(c)(5)(B), and (e)]

§54.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (1) The information and criteria relied upon to establish and justify the minimum thresholds for each sustainability indicator. The justification for the minimum threshold shall be supported by information provided in the basin setting, and other data or models as appropriate, and qualified by the uncertainty in the understanding of the basin setting.*
 - (c) Minimum thresholds for each sustainability indicator shall be defined as follows:*
 - (5) Land Subsidence. The minimum threshold for land subsidence shall be the rate and extent of subsidence that substantially interferes with surface land uses and may lead to undesirable results. Minimum thresholds for land subsidence shall be supported by the following:*
 - (A) Identification of land uses and property interests that have been affected or are likely to be affected by land subsidence in the basin, including an explanation of how the Agency has determined and considered those uses and interests, and the Agency’s rationale for establishing minimum thresholds in light of those affects.*
 - (B) Maps and graphs showing the extent and rate of land subsidence in the basin that defines the minimum threshold and measurable objectives.*
 - (e) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish minimum thresholds related to those sustainability indicators.*

4.8.2.2 Quantification of Minimum Thresholds [§354.28(a)]

§354.28 Minimum Thresholds.

(a) Each Agency in its Plan shall establish minimum thresholds that quantify groundwater conditions for each applicable sustainability indicator at each monitoring site or representative monitoring site established pursuant to Section 354.36. The numeric value used to define minimum thresholds shall represent a point in the basin that, if exceeded, may cause undesirable results as described in Section 354.26.

4.8.2.2.1 Evaluation of Multiple Minimum Thresholds [§354.26(c)]

§354.26 Undesirable Results.

(c) The Agency may need to evaluate multiple minimum thresholds to determine whether an undesirable result is occurring in the basin. The determination that undesirable results are occurring may depend upon measurements from multiple monitoring sites, rather than a single monitoring site.

4.8.2.2.2 Evaluation of Representative Minimum Thresholds [§354.28 (d)]

§354.28 Minimum Thresholds.

(d) An Agency may establish a representative minimum threshold for groundwater elevation to serve as the value for multiple sustainability indicators, where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual minimum thresholds as supported by adequate evidence.

4.8.2.3 Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:
(2) The relationship between the minimum thresholds for each sustainability indicator, including an explanation of how the Agency has determined that basin conditions at each minimum threshold will avoid undesirable results for each of the sustainability indicators.

4.8.2.4 Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:
(3) How minimum thresholds have been selected to avoid causing undesirable results in adjacent basins or affecting the ability of adjacent basins to achieve sustainability goals.

4.8.2.5 Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(4) How minimum thresholds may affect the interests of beneficial uses and users of groundwater or land uses and property interests.

4.8.2.6 Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(5) How state, federal, or local standards relate to the relevant sustainability indicator. If the minimum threshold differs from other regulatory standards, the Agency shall explain the nature of and basis for the difference.

4.8.2.7 Measurement of Minimum Thresholds [§354.28(b)(6)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

(6) How each minimum threshold will be quantitatively measured, consistent with the monitoring network requirements described in Subarticle 4.

4.8.3 Measurable Objectives and Interim Milestones [§354.30]

§354.30 Measurable Objectives.

(a) Each Agency shall establish measurable objectives, including interim milestones in increments of five years, to achieve the sustainability goal for the basin within 20 years of Plan implementation and to continue to sustainably manage the groundwater basin over the planning and implementation horizon.

4.8.3.1 Description of Measurable Objectives

4.8.3.1.1 Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]

§354.30 Measurable Objectives.

(b) Measurable objectives shall be established for each sustainability indicator, based on quantitative values using the same metrics and monitoring sites as are used to define the minimum thresholds.

4.8.3.2 Operational Flexibility [§354.30(c) and (g)]

§354.30 Measurable Objectives.

(c) Measurable objectives shall provide a reasonable margin of operational flexibility under adverse conditions which shall take into consideration components such as historical water budgets, seasonal and long-term trends, and periods of drought, and be commensurate with levels of uncertainty.

(g) An Agency may establish measurable objectives that exceed the reasonable margin of operational flexibility for the purpose of improving overall conditions in the basin, but failure to achieve those objectives shall not be grounds for a finding of inadequacy of the Plan.

Paragraph(s) describing flexibility – refer to other sections where needed.

4.8.3.3 Representative Monitoring [§354.30(d)]

§354.30 Measurable Objectives

(d) An Agency may establish a representative measurable objective for groundwater elevation to serve as the value for multiple sustainability indicators where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual measurable objectives as supported by adequate evidence.

4.8.3.4 Path to Achieve Measurable Objectives [§354.30(e)]

§354.30 Measurable Objective.

(e) Each Plan shall describe a reasonable path to achieve the sustainability goal for the basin with 20 years of Plan implementation, including a description of interim milestones for each relevant sustainability indicator, using the same metric as the measurable objective, in increments of five years. The description shall explain how the Plan is likely to maintain sustainable groundwater management over the planning and implementation horizon.

4.9 Depletions of Interconnected Service Water

4.9.1 Undesirable Results [§354.26(a)]

§354.26 Undesirable Results.

(a) Each Agency shall describe in its Plan the processes and criteria relied upon to define undesirable results applicable to the basin. Undesirable results occur when significant and unreasonable effects for any of the sustainability indicators are caused by groundwater conditions occurring throughout the basin.

4.9.1.1 Causes of Groundwater Conditions That Could Lead to Undesirable Results [§354.26(b)(1)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (1) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

This following intro section generally describes the URs, MTs, and MOs for the sustainability indicator

4.9.1.2 Criteria to Define Undesirable Results [§354.26(b)(2) and (d)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (2) The cause of groundwater conditions occurring throughout the basin that would lead to or has led to undesirable results based on information described in the basin setting, and other data or models as appropriate.*

(d) An Agency that is able to demonstrate that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin shall not be required to establish criteria for undesirable results related to those sustainability indicators.

4.9.1.3 Potential Effects on Beneficial Uses and Users [§354.26(b)(3)]

§354.26 Undesirable Results.

(b) The description of undesirable results shall include the following:

- (3) Potential effects on the beneficial uses and users of groundwater, on land uses and property interests, and other potential effects that may occur or are occurring from undesirable results.*

4.9.2 Minimum Thresholds [§354.28]

4.9.2.1 Criteria to Define Minimum Thresholds [§354.28(b)(1),(c)(6)(A),(c)(6)(B), and (e)]

§54.28 Minimum Thresholds.

- (b) The description of minimum thresholds shall include the following:*
- (1) The information and criteria relied upon to establish and justify the minimum thresholds for each sustainability indicator. The justification for the minimum threshold shall be supported by information provided in the basin setting, and other data or models as appropriate, and qualified by the uncertainty in the understanding of the basin setting.*
- (c) Minimum thresholds for each sustainability indicator shall be defined as follows:*
- (6) Depletions of Interconnected Surface Water. The minimum threshold for depletions of interconnected surface water shall be the rate or volume of surface water depletions caused by groundwater use that has adverse impacts on beneficial uses of the surface water and may lead to undesirable results. The minimum threshold established for depletions of interconnected surface water shall be supported by the following:*
- (A) The location, quantity, and timing of depletions of interconnected surface water.*
- (B) A description of the groundwater and surface water model used to quantify surface water depletion. If a numerical groundwater and surface water model is not used to quantify surface water depletion, the Plan shall identify and describe an equally effective method, tool, or analytical model to accomplish the requirements of this Paragraph.*
- (e) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish minimum thresholds related to those sustainability indicators.*

4.9.2.2 Quantification of Minimum Thresholds [§354.28(a)]

§354.28 Minimum Thresholds.

- (a) Each Agency in its Plan shall establish minimum thresholds that quantify groundwater conditions for each applicable sustainability indicator at each monitoring site or representative monitoring site established pursuant to Section 354.36. The numeric value used to define minimum thresholds shall represent a point in the basin that, if exceeded, may cause undesirable results as described in Section 354.26.*

4.9.2.2.1 Evaluation of Multiple Minimum Thresholds [§354.26(c)]

§354.26 Undesirable Results.

- (c) The Agency may need to evaluate multiple minimum thresholds to determine whether an undesirable result is occurring in the basin. The determination that undesirable results are occurring may depend upon measurements from multiple monitoring sites, rather than a single monitoring site.*

4.9.2.2.2 Evaluation of Representative Minimum Thresholds [§354.28(d)]

§354.28 Minimum Thresholds.

- (d) An Agency may establish a representative minimum threshold for groundwater elevation to serve as the value for multiple sustainability indicators, where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual minimum thresholds as supported by adequate evidence.*

4.9.2.3 Relationships Between Minimum Thresholds and Sustainability Indicators [§354.28(b)(2)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (2) The relationship between the minimum thresholds for each sustainability indicator, including an explanation of how the Agency has determined that basin conditions at each minimum threshold will avoid undesirable results for each of the sustainability indicators.*

4.9.2.4 Minimum Thresholds in Relation to Adjacent Basins [§354.28(b)(3)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (3) How minimum thresholds have been selected to avoid causing undesirable results in adjacent basins or affecting the ability of adjacent basins to achieve sustainability goals.*

4.9.2.5 Impact of Minimum Thresholds on Beneficial Uses and Users [§354.28(b)(4)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (4) How minimum thresholds may affect the interests of beneficial uses and users of groundwater or land uses and property interests.*

4.9.2.6 Current Standards Relevant to Sustainability Indicator [§354.28(b)(5)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (5) How state, federal, or local standards relate to the relevant sustainability indicator. If the minimum threshold differs from other regulatory standards, the Agency shall explain the nature of and basis for the difference.*

4.9.2.7 Measurement of Minimum Thresholds [§354.28(b)(6)]

§354.28 Minimum Thresholds.

(b) The description of minimum thresholds shall include the following:

- (6) How each minimum threshold will be quantitatively measured, consistent with the monitoring network requirements described in Subarticle 4.*

4.9.3 Measurable Objectives and Interim Milestones [§354.30]

§354.30 Measurable Objectives.

(a) Each Agency shall establish measurable objectives, including interim milestones in increments of five years, to achieve the sustainability goal for the basin within 20 years of Plan implementation and to continue to sustainably manage the groundwater basin over the planning and implementation horizon.

4.9.3.1 Description of Measurable Objectives

4.9.3.1.1 Quantifiable Measurable Objectives & Interim Milestones [§354.30(b)]

§354.30 Measurable Objectives.

(b) Measurable objectives shall be established for each sustainability indicator, based on quantitative values using the same metrics and monitoring sites as are used to define the minimum thresholds.

4.9.3.2 Operational Flexibility [§354.30(c) and (g)]

§354.30 Measurable Objectives.

(c) Measurable objectives shall provide a reasonable margin of operational flexibility under adverse conditions which shall take into consideration components such as historical water budgets, seasonal and long-term trends, and periods of drought, and be commensurate with levels of uncertainty.

(g) An Agency may establish measurable objectives that exceed the reasonable margin of operational flexibility for the purpose of improving overall conditions in the basin, but failure to achieve those objectives shall not be grounds for a finding of inadequacy of the Plan.

Paragraph(s) describing flexibility – refer to other sections where needed.

4.9.3.3 Representative Monitoring [§354.30(d)]

§354.30 Measurable Objectives

(d) An Agency may establish a representative measurable objective for groundwater elevation to serve as the value for multiple sustainability indicators where the Agency can demonstrate that the representative value is a reasonable proxy for multiple individual measurable objectives as supported by adequate evidence.

4.9.3.4 Path to Achieve Measurable Objectives [§354.30(e)]

§354.30 Measurable Objective.

(e) Each Plan shall describe a reasonable path to achieve the sustainability goal for the basin with 20 years of Plan implementation, including a description of interim milestones for each relevant sustainability indicator, using the same metric as the measurable objective, in increments of five years. The description shall explain how the Plan is likely to maintain sustainable groundwater management over the planning and implementation horizon.

4.10 Measurable Objectives and Interim Milestones for Additional Plan Elements [§354.30(f)]

§354.30 Measurable Objectives.

(f) Each Plan may include measurable objectives and interim milestones for additional Plan elements described in Water Code Section 10727.4 where the Agency determines such measures are appropriate for sustainable groundwater management in the basin.

4.10.1 Additional Plan Element No. 1 (if needed)

4.10.2 Additional Plan Element No. 2 (if needed)

5.0 Monitoring Networks [Article 5, SubArticle 4]

5.1 Introduction to Monitoring Networks [§354.32]

§354.32 Introduction to Monitoring Networks. *This Subarticle describes the monitoring network that shall be developed for each basin, including monitoring objectives, monitoring protocols, and data reporting requirements. The monitoring network shall promote the collection of data of sufficient quality, frequency, and distribution to characterize groundwater and related surface water conditions in the basin and evaluate changing conditions that occur through implementation of the Plan.*

5.2 Monitoring Network Objectives and Design Criteria [§354.34(a),(b)(1),(b)(2),(b)(3),(b)(4),(d),(f)(1),(f)(2),(f)(3), and (f)(4)]

§354.34 Monitoring Network.

- (a)** *Each Agency shall develop a monitoring network capable of collecting sufficient data to demonstrate short-term, seasonal, and long-term trends in groundwater and related surface conditions, and yield representative information about groundwater conditions as necessary to evaluate Plan implementation.*
- (b)** *Each Plan shall include a description of the monitoring network objectives for the basin, including an explanation of how the network will be developed and implemented to monitor groundwater and related surface conditions, and the interconnection of surface water and groundwater, with sufficient temporal frequency and spatial density to evaluate the affects and effectiveness of Plan implementation. The monitoring network objectives shall be implemented to accomplish the following:*
- (1)** *Demonstrate progress toward achieving measurable objectives described in the Plan.*
 - (2)** *Monitor impacts to the beneficial uses or users of groundwater.*
 - (3)** *Monitor changes in groundwater conditions relative to measurable objectives and minimum thresholds.*
 - (4)** *Quantify annual changes in water budget components.*
- (d)** *The monitoring network shall be designed to ensure adequate coverage of sustainability indicators. If management areas are established, the quantity and density of monitoring sites in those areas shall be sufficient to evaluate conditions of the basin setting and sustainable management criteria specific to that area.*
- (f)** *The Agency shall determine the density of monitoring sites and frequency of measurements required to demonstrate short-term, seasonal, and long-term trends based upon the following factors:*
- (1)** *Amount of current and projected groundwater use.*
 - (2)** *Aquifer characteristics, including confined or unconfined aquifer conditions, or other physical characteristics that affect groundwater flow.*
 - (3)** *Impacts to beneficial uses and users of groundwater and land uses and property interests affected by groundwater production, and adjacent basins that could affect the ability of that basin to meet the sustainability goal.*
 - (4)** *Whether the Agency has adequate long-term existing monitoring results or other technical information to demonstrate an understanding of aquifer response.*

5.3 Groundwater Levels Monitoring Network [§354.34(e),(g)(3),(h), and (j)]

23 Cal. Code Regs. §354.34 Monitoring Network.

- (e) A Plan may utilize site information and monitoring data from existing sources as part of the monitoring network.*
- (g) Each Plan shall describe the following information about the monitoring network:*
 - (3) For each sustainability indicator, the quantitative values for the minimum threshold, measurable objective, and interim milestones that will be measured at each monitoring site or representative monitoring sites established pursuant to Section 354.36.*
 - (h) The location and type of each monitoring site within the basin displayed on a map, and reported in tabular format, including information regarding the monitoring site type, frequency of measurement, and the purposes for which the monitoring site is being used.*
 - (j) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish a monitoring network related to those sustainability indicators.*

(we will describe the network in this section)

5.3.1 Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(1)(A),(c)(1)(B), and (g)(1)]

§354.34 Monitoring Network.

- (c) Each monitoring network shall be designed to accomplish the following for each sustainability indicator:*
 - (1) Chronic Lowering of Groundwater Levels. Demonstrate groundwater occurrence, flow directions, and hydraulic gradients between principal aquifers and surface water features by the following methods:*
 - (A) A sufficient density of monitoring wells to collect representative measurements through depth-discrete perforated intervals to characterize the groundwater table or potentiometric surface for each principal aquifer.*
 - (B) Static groundwater elevation measurements shall be collected at least two times per year, to represent seasonal low and seasonal high groundwater conditions.*
- (g) Each Plan shall describe the following information about the monitoring network:*
 - (1) Scientific rationale for the monitoring site selection process.*

(This section will describe how the network address section 5.2 objectives and the requirements in 354.34c.... (for GW levels 354.34 c1A,B), and 354.34.g1

5.3.2 Data and Reporting Standards [§354.34(g)(2)]

§354.34 Monitoring Network.

- (g) Each Plan shall describe the following information about the monitoring network:*
 - (2) Consistency with data and reporting standards described in Section 352.4. If a site is not consistent with those standards, the Plan shall explain the necessity of the site to the monitoring network, and how any variation from the standards will not affect the usefulness of the results obtained.*

5.3.3 Monitoring Protocols [§354.34(i)]

§354.34 Monitoring Network.

(i) The monitoring protocols developed by each Agency shall include a description of technical standards, data collection methods, and other procedures or protocols pursuant to Water Code Section 10727.2(f) for monitoring sites or other data collection facilities to ensure that the monitoring network utilizes comparable data and methodologies.

5.3.4 Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)]

§354.38 Assessment and Improvement of Monitoring Network.

- (a) Each Agency shall review the monitoring network and include an evaluation in the Plan and each five-year assessment, including a determination of uncertainty and whether there are data gaps that could affect the ability of the Plan to achieve the sustainability goal for the basin.*
- (b) Each Agency shall identify data gaps wherever the basin does not contain a sufficient number of monitoring sites, does not monitor sites at a sufficient frequency, or utilizes monitoring sites that are unreliable, including those that do not satisfy minimum standards of the monitoring network adopted by the Agency.*
- (c) If the monitoring network contains data gaps, the Plan shall include a description of the following:*
- (1) The location and reason for data gaps in the monitoring network.*
 - (2) Local issues and circumstances that limit or prevent monitoring.*
- (d) Each Agency shall describe steps that will be taken to fill data gaps before the next five-year assessment, including the location and purpose of newly added or installed monitoring sites.*
- (e) Each Agency shall adjust the monitoring frequency and density of monitoring sites to provide an adequate level of detail about site-specific surface water and groundwater conditions and to assess the effectiveness of management actions under circumstances that include the following:*
- (1) Minimum threshold exceedances.*
 - (2) Highly variable spatial or temporal conditions.*
 - (3) Adverse impacts to beneficial uses and users of groundwater.*
 - (4) The potential to adversely affect the ability of an adjacent basin to implement its Plan or impede achievement of sustainability goals in an adjacent basin.*

(354.38) (may need to break this down more later)

5.4 Groundwater Storage Monitoring Network [§354.34(e),(g)(3),(h), and (j)]

23 Cal. Code Regs. §354.34 Monitoring Network.

- (e) A Plan may utilize site information and monitoring data from existing sources as part of the monitoring network.*
- (g) Each Plan shall describe the following information about the monitoring network:*
- (3) For each sustainability indicator, the quantitative values for the minimum threshold, measurable objective, and interim milestones that will be measured at each monitoring site or representative monitoring sites established pursuant to Section 354.36.*
 - (h) The location and type of each monitoring site within the basin displayed on a map, and reported in tabular format, including information regarding the monitoring site type, frequency of measurement, and the purposes for which the monitoring site is being used.*
 - (j) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish a monitoring network related to those sustainability indicators.*

(we will describe the network in this section)

5.4.1 Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(2) and (g)(1)]

§354.34 Monitoring Network.

- (c) Each monitoring network shall be designed to accomplish the following for each sustainability indicator:*
- (2) Reduction of Groundwater Storage. Provide an estimate of the change in annual groundwater in storage.*
- (g) Each Plan shall describe the following information about the monitoring network:*
- (1) Scientific rationale for the monitoring site selection process.*

(This section will describe how the network address section 5.2 objectives and the requirements in 354.34c.... (for GW levels 354.34 c1A,B), and 354.34.g1

5.4.2 Data and Reporting Standards [§354.34(g)(2)]

§354.34 Monitoring Network.

- (g) Each Plan shall describe the following information about the monitoring network:*
- (2) Consistency with data and reporting standards described in Section 352.4. If a site is not consistent with those standards, the Plan shall explain the necessity of the site to the monitoring network, and how any variation from the standards will not affect the usefulness of the results obtained.*

5.4.3 Monitoring Protocols [§354.34(i)]

23 Cal. Code Regs. §354.34 Monitoring Network.

(i) The monitoring protocols developed by each Agency shall include a description of technical standards, data collection methods, and other procedures or protocols pursuant to Water Code Section 10727.2(f) for monitoring sites or other data collection facilities to ensure that the monitoring network utilizes comparable data and methodologies.

5.4.4 Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)]

§354.38 Assessment and Improvement of Monitoring Network.

- (a) Each Agency shall review the monitoring network and include an evaluation in the Plan and each five-year assessment, including a determination of uncertainty and whether there are data gaps that could affect the ability of the Plan to achieve the sustainability goal for the basin.*
- (b) Each Agency shall identify data gaps wherever the basin does not contain a sufficient number of monitoring sites, does not monitor sites at a sufficient frequency, or utilizes monitoring sites that are unreliable, including those that do not satisfy minimum standards of the monitoring network adopted by the Agency.*
- (c) If the monitoring network contains data gaps, the Plan shall include a description of the following:*
- (1) The location and reason for data gaps in the monitoring network.*
 - (2) Local issues and circumstances that limit or prevent monitoring.*
- (d) Each Agency shall describe steps that will be taken to fill data gaps before the next five-year assessment, including the location and purpose of newly added or installed monitoring sites.*
- (e) Each Agency shall adjust the monitoring frequency and density of monitoring sites to provide an adequate level of detail about site-specific surface water and groundwater conditions and to assess the effectiveness of management actions under circumstances that include the following:*
- (1) Minimum threshold exceedances.*
 - (2) Highly variable spatial or temporal conditions.*
 - (3) Adverse impacts to beneficial uses and users of groundwater.*
 - (4) The potential to adversely affect the ability of an adjacent basin to implement its Plan or impede achievement of sustainability goals in an adjacent basin.*

(354.38) (may need to break this down more later)

5.5 Seawater Intrusion Monitoring Network [§354.34(e),(g)(3),(h), and (j)]

23 Cal. Code Regs. §354.34 Monitoring Network.

- (e) A Plan may utilize site information and monitoring data from existing sources as part of the monitoring network.*
- (g) Each Plan shall describe the following information about the monitoring network:
 - (3)** For each sustainability indicator, the quantitative values for the minimum threshold, measurable objective, and interim milestones that will be measured at each monitoring site or representative monitoring sites established pursuant to Section 354.36.*
- (h) The location and type of each monitoring site within the basin displayed on a map, and reported in tabular format, including information regarding the monitoring site type, frequency of measurement, and the purposes for which the monitoring site is being used.*
- (j) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish a monitoring network related to those sustainability indicators.*

(we will describe the network in this section)

5.5.1 Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(3) and (g)(1)]

§354.34 Monitoring Network.

- (c) Each monitoring network shall be designed to accomplish the following for each sustainability indicator:
 - (3) Seawater Intrusion.** Monitor seawater intrusion using chloride concentrations, or other measurements convertible to chloride concentrations, so that the current and projected rate and extent of seawater intrusion for each applicable principal aquifer may be calculated.*
- (g) Each Plan shall describe the following information about the monitoring network:
 - (1) Scientific rationale for the monitoring site selection process.***

(This section will describe how the network address section 5.2 objectives and the requirements in 354.34c.... (for GW levels 354.34 c1A,B), and 354.34.g1

5.5.2 Data and Reporting Standards [§354.34(g)(2)]

§354.34 Monitoring Network.

- (g) Each Plan shall describe the following information about the monitoring network:
 - (2) Consistency with data and reporting standards described in Section 352.4.** If a site is not consistent with those standards, the Plan shall explain the necessity of the site to the monitoring network, and how any variation from the standards will not affect the usefulness of the results obtained.*

5.5.3 Monitoring Protocols [§354.34(i)]

23 Cal. Code Regs. §354.34 Monitoring Network.

(i) The monitoring protocols developed by each Agency shall include a description of technical standards, data collection methods, and other procedures or protocols pursuant to Water Code Section 10727.2(f) for monitoring sites or other data collection facilities to ensure that the monitoring network utilizes comparable data and methodologies.

5.5.4 Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)]

§354.38 Assessment and Improvement of Monitoring Network.

- (a) Each Agency shall review the monitoring network and include an evaluation in the Plan and each five-year assessment, including a determination of uncertainty and whether there are data gaps that could affect the ability of the Plan to achieve the sustainability goal for the basin.*
- (b) Each Agency shall identify data gaps wherever the basin does not contain a sufficient number of monitoring sites, does not monitor sites at a sufficient frequency, or utilizes monitoring sites that are unreliable, including those that do not satisfy minimum standards of the monitoring network adopted by the Agency.*
- (c) If the monitoring network contains data gaps, the Plan shall include a description of the following:*
- (1) The location and reason for data gaps in the monitoring network.*
 - (2) Local issues and circumstances that limit or prevent monitoring.*
- (d) Each Agency shall describe steps that will be taken to fill data gaps before the next five-year assessment, including the location and purpose of newly added or installed monitoring sites.*
- (e) Each Agency shall adjust the monitoring frequency and density of monitoring sites to provide an adequate level of detail about site-specific surface water and groundwater conditions and to assess the effectiveness of management actions under circumstances that include the following:*
- (1) Minimum threshold exceedances.*
 - (2) Highly variable spatial or temporal conditions.*
 - (3) Adverse impacts to beneficial uses and users of groundwater.*
 - (4) The potential to adversely affect the ability of an adjacent basin to implement its Plan or impede achievement of sustainability goals in an adjacent basin.*

(354.38) (may need to break this down more later)

5.6 Degraded Water Quality Monitoring Network [§354.34(e),(g)(3),(h), and (j)]

23 Cal. Code Regs. §354.34 Monitoring Network.

- (e) A Plan may utilize site information and monitoring data from existing sources as part of the monitoring network.*
- (g) Each Plan shall describe the following information about the monitoring network:*
- (3) For each sustainability indicator, the quantitative values for the minimum threshold, measurable objective, and interim milestones that will be measured at each monitoring site or representative monitoring sites established pursuant to Section 354.36.*
 - (h) The location and type of each monitoring site within the basin displayed on a map, and reported in tabular format, including information regarding the monitoring site type, frequency of measurement, and the purposes for which the monitoring site is being used.*
 - (j) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish a monitoring network related to those sustainability indicators.*

(we will describe the network in this section)

5.6.1 Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(4) and (g)(1)]

§354.34 Monitoring Network.

- (c) Each monitoring network shall be designed to accomplish the following for each sustainability indicator:*
- (4) Degraded Water Quality. Collect sufficient spatial and temporal data from each applicable principal aquifer to determine groundwater quality trends for water quality indicators, as determined by the Agency, to address known water quality issues.*
- (g) Each Plan shall describe the following information about the monitoring network:*
- (1) Scientific rationale for the monitoring site selection process.*

(This section will describe how the network address section 5.2 objectives and the requirements in 354.34c.... (for GW levels 354.34 c1A,B), and 354.34.g1

5.6.2 Data and Reporting Standards [§354.34(g)(2)]

§354.34 Monitoring Network.

- (g) Each Plan shall describe the following information about the monitoring network:*
- (2) Consistency with data and reporting standards described in Section 352.4. If a site is not consistent with those standards, the Plan shall explain the necessity of the site to the monitoring network, and how any variation from the standards will not affect the usefulness of the results obtained.*

5.6.3 Monitoring Protocols [§354.34(i)]

23 Cal. Code Regs. §354.34 Monitoring Network.

(i) The monitoring protocols developed by each Agency shall include a description of technical standards, data collection methods, and other procedures or protocols pursuant to Water Code Section 10727.2(f) for monitoring sites or other data collection facilities to ensure that the monitoring network utilizes comparable data and methodologies.

5.6.4 Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)]

§354.38 Assessment and Improvement of Monitoring Network.

- (a) Each Agency shall review the monitoring network and include an evaluation in the Plan and each five-year assessment, including a determination of uncertainty and whether there are data gaps that could affect the ability of the Plan to achieve the sustainability goal for the basin.*
- (b) Each Agency shall identify data gaps wherever the basin does not contain a sufficient number of monitoring sites, does not monitor sites at a sufficient frequency, or utilizes monitoring sites that are unreliable, including those that do not satisfy minimum standards of the monitoring network adopted by the Agency.*
- (c) If the monitoring network contains data gaps, the Plan shall include a description of the following:*
- (1) The location and reason for data gaps in the monitoring network.*
 - (2) Local issues and circumstances that limit or prevent monitoring.*
- (d) Each Agency shall describe steps that will be taken to fill data gaps before the next five-year assessment, including the location and purpose of newly added or installed monitoring sites.*
- (e) Each Agency shall adjust the monitoring frequency and density of monitoring sites to provide an adequate level of detail about site-specific surface water and groundwater conditions and to assess the effectiveness of management actions under circumstances that include the following:*
- (1) Minimum threshold exceedances.*
 - (2) Highly variable spatial or temporal conditions.*
 - (3) Adverse impacts to beneficial uses and users of groundwater.*
 - (4) The potential to adversely affect the ability of an adjacent basin to implement its Plan or impede achievement of sustainability goals in an adjacent basin.*

(354.38) (may need to break this down more later)

5.7 Land Subsidence Monitoring Network [§354.34(e),(g)(3),(h), and (j)]

23 Cal. Code Regs. §354.34 Monitoring Network.

- (e) A Plan may utilize site information and monitoring data from existing sources as part of the monitoring network.*
- (g) Each Plan shall describe the following information about the monitoring network:
 - (3)** For each sustainability indicator, the quantitative values for the minimum threshold, measurable objective, and interim milestones that will be measured at each monitoring site or representative monitoring sites established pursuant to Section 354.36.*
- (h) The location and type of each monitoring site within the basin displayed on a map, and reported in tabular format, including information regarding the monitoring site type, frequency of measurement, and the purposes for which the monitoring site is being used.*
- (j) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish a monitoring network related to those sustainability indicators.*

(we will describe the network in this section)

5.7.1 Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(5) and (g)(1)]

§354.34 Monitoring Network.

- (c) Each monitoring network shall be designed to accomplish the following for each sustainability indicator:
 - (5) Land Subsidence.** Identify the rate and extent of land subsidence, which may be measured by extensometers, surveying, remote sensing technology, or other appropriate method.*
- (g) Each Plan shall describe the following information about the monitoring network:
 - (1) Scientific rationale for the monitoring site selection process.***

(This section will describe how the network address section 5.2 objectives and the requirements in 354.34c.... (for GW levels 354.34 c1A,B), and 354.34.g1

5.7.2 Data and Reporting Standards [§354.34(g)(2)]

§354.34 Monitoring Network.

- (g) Each Plan shall describe the following information about the monitoring network:
 - (2) Consistency with data and reporting standards described in Section 352.4.** If a site is not consistent with those standards, the Plan shall explain the necessity of the site to the monitoring network, and how any variation from the standards will not affect the usefulness of the results obtained.*

5.7.3 Monitoring Protocols [§354.34(i)]

23 Cal. Code Regs. §354.34 Monitoring Network.

(i) The monitoring protocols developed by each Agency shall include a description of technical standards, data collection methods, and other procedures or protocols pursuant to Water Code Section 10727.2(f) for monitoring sites or other data collection facilities to ensure that the monitoring network utilizes comparable data and methodologies.

5.7.4 Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and (e)(4)]

§354.38 Assessment and Improvement of Monitoring Network.

- (a) Each Agency shall review the monitoring network and include an evaluation in the Plan and each five-year assessment, including a determination of uncertainty and whether there are data gaps that could affect the ability of the Plan to achieve the sustainability goal for the basin.*
- (b) Each Agency shall identify data gaps wherever the basin does not contain a sufficient number of monitoring sites, does not monitor sites at a sufficient frequency, or utilizes monitoring sites that are unreliable, including those that do not satisfy minimum standards of the monitoring network adopted by the Agency.*
- (c) If the monitoring network contains data gaps, the Plan shall include a description of the following:*
- (1) The location and reason for data gaps in the monitoring network.*
 - (2) Local issues and circumstances that limit or prevent monitoring.*
- (d) Each Agency shall describe steps that will be taken to fill data gaps before the next five-year assessment, including the location and purpose of newly added or installed monitoring sites.*
- (e) Each Agency shall adjust the monitoring frequency and density of monitoring sites to provide an adequate level of detail about site-specific surface water and groundwater conditions and to assess the effectiveness of management actions under circumstances that include the following:*
- (1) Minimum threshold exceedances.*
 - (2) Highly variable spatial or temporal conditions.*
 - (3) Adverse impacts to beneficial uses and users of groundwater.*
 - (4) The potential to adversely affect the ability of an adjacent basin to implement its Plan or impede achievement of sustainability goals in an adjacent basin.*

(354.38) (may need to break this down more later)

5.8 Depletions of Interconnected Surface Water Monitoring Network [§354.34(e),(g)(3),(h), and (j)]

23 Cal. Code Regs. §354.34 Monitoring Network.

- (e) A Plan may utilize site information and monitoring data from existing sources as part of the monitoring network.*
- (g) Each Plan shall describe the following information about the monitoring network:
 - (3) For each sustainability indicator, the quantitative values for the minimum threshold, measurable objective, and interim milestones that will be measured at each monitoring site or representative monitoring sites established pursuant to Section 354.36.**
- (h) The location and type of each monitoring site within the basin displayed on a map, and reported in tabular format, including information regarding the monitoring site type, frequency of measurement, and the purposes for which the monitoring site is being used.*
- (j) An Agency that has demonstrated that undesirable results related to one or more sustainability indicators are not present and are not likely to occur in a basin, as described in Section 354.26, shall not be required to establish a monitoring network related to those sustainability indicators.*

(we will describe the network in this section)

5.8.1 Attainment of Monitoring Objectives and Other Requirements [§354.34(c)(6)(A),(c)(6)(B),(c)(6)(C),(c)(6)(D), and (g)(1)]

§354.34 Monitoring Network.

- (c) Each monitoring network shall be designed to accomplish the following for each sustainability indicator:
 - (6) Depletions of Interconnected Surface Water. Monitor surface water and groundwater, where interconnected surface water conditions exist, to characterize the spatial and temporal exchanges between surface water and groundwater, and to calibrate and apply the tools and methods necessary to calculate depletions of surface water caused by groundwater extractions. The monitoring network shall be able to characterize the following:
 - (A) Flow conditions including surface water discharge, surface water head, and baseflow contribution.*
 - (B) Identifying the approximate date and location where ephemeral or intermittent flowing streams and rivers cease to flow, if applicable.*
 - (C) Temporal change in conditions due to variations in stream discharge and regional groundwater extraction.*
 - (D) Other factors that may be necessary to identify adverse impacts on beneficial uses of the surface water.***
- (g) Each Plan shall describe the following information about the monitoring network:
 - (1) Scientific rationale for the monitoring site selection process.**

(This section will describe how the network address section 5.2 objectives and the requirements in 354.34c.... (for GW levels 354.34 c1A,B), and 354.34.g1

5.8.2 Data and Reporting Standards [§354.34(g)(2)]

§354.34 Monitoring Network.

(g) Each Plan shall describe the following information about the monitoring network:

- (2) Consistency with data and reporting standards described in Section 352.4. If a site is not consistent with those standards, the Plan shall explain the necessity of the site to the monitoring network, and how any variation from the standards will not affect the usefulness of the results obtained.*

5.8.3 Monitoring Protocols [§354.34(i)]

23 Cal. Code Regs. §354.34 Monitoring Network.

(i) The monitoring protocols developed by each Agency shall include a description of technical standards, data collection methods, and other procedures or protocols pursuant to Water Code Section 10727.2(f) for monitoring sites or other data collection facilities to ensure that the monitoring network utilizes comparable data and methodologies.

5.8.4 Assessment and Improvement of Monitoring Network [§354.38(a),(b),(c)(1),(c)(2),(d),(e)(1),(e)(2),(e)(3), and(e)(4)]

§354.38 Assessment and Improvement of Monitoring Network.

- (a) Each Agency shall review the monitoring network and include an evaluation in the Plan and each five-year assessment, including a determination of uncertainty and whether there are data gaps that could affect the ability of the Plan to achieve the sustainability goal for the basin.*
- (b) Each Agency shall identify data gaps wherever the basin does not contain a sufficient number of monitoring sites, does not monitor sites at a sufficient frequency, or utilizes monitoring sites that are unreliable, including those that do not satisfy minimum standards of the monitoring network adopted by the Agency.*
- (c) If the monitoring network contains data gaps, the Plan shall include a description of the following:
 - (1) The location and reason for data gaps in the monitoring network.*
 - (2) Local issues and circumstances that limit or prevent monitoring.**
- (d) Each Agency shall describe steps that will be taken to fill data gaps before the next five-year assessment, including the location and purpose of newly added or installed monitoring sites.*
- (e) Each Agency shall adjust the monitoring frequency and density of monitoring sites to provide an adequate level of detail about site-specific surface water and groundwater conditions and to assess the effectiveness of management actions under circumstances that include the following:
 - (1) Minimum threshold exceedances.*
 - (2) Highly variable spatial or temporal conditions.*
 - (3) Adverse impacts to beneficial uses and users of groundwater.*
 - (4) The potential to adversely affect the ability of an adjacent basin to implement its Plan or impede achievement of sustainability goals in an adjacent basin.**

(354.38) (may need to break this down more later)

5.9 Representative Monitoring Sites [§354.36(a),(b)(1),(b)(2), and (c)]

§354.36 Representative Monitoring. *Each Agency may designate a subset of monitoring sites as representative of conditions in the basin or an area of the basin, as follows:*

- (a) Representative monitoring sites may be designated by the Agency as the point at which sustainability indicators are monitored, and for which quantitative values for minimum thresholds, measurable objectives, and interim milestones are defined.*
- (b) Groundwater elevations may be used as a proxy for monitoring other sustainability indicators if the Agency demonstrates the following:
 - (1) Significant correlation exists between groundwater elevations and the sustainability indicators for which groundwater elevation measurements serve as a proxy.*
 - (2) Measurable objectives established for groundwater elevation shall include a reasonable margin of operational flexibility taking into consideration the basin setting to avoid undesirable results for the sustainability indicators for which groundwater elevation measurements serve as a proxy.**
- (c) The designation of a representative monitoring site shall be supported by adequate evidence demonstrating that the site reflects general conditions in the area.*

5.10 Reporting Monitoring Data to the Department (Data Management System) [§354.40]

§354.40 Reporting Monitoring Data to the Department. *Monitoring data shall be stored in the data management system developed pursuant to Section 352.6. A copy of the monitoring data shall be included in the Annual Report and submitted electronically on forms provided by the Department.*

6.0 Projects and Management Actions [Article 5, SubArticle 5]

6.1 Introduction [§354.42, 354.44(a),(c), and (d)]

§354.42 Introduction to Projects and Management Actions. *This Subarticle describes the criteria for projects and management actions to be included in a Plan to meet the sustainability goal for the basin in a manner that can be maintained over the planning and implementation horizon.*

§354.44 Projects and Management Actions

(a) *Each Plan shall include a description of the projects and management actions the Agency has determined will achieve the sustainability goal for the basin, including projects and management actions to respond to changing conditions in the basin.*

(c) *Projects and management actions shall be supported by best available information and best available science.*

(d) *An Agency shall take into account the level of uncertainty associated with the basin setting when developing projects or management actions.*

Introduction and list of criteria.

6.2 Project and Management Action 1 [§354.44(b)(1), (d)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) *Each Plan shall include a description of the projects and management actions that include the following:*

(1) *A list of projects and management actions proposed in the Plan with a description of the measurable objective that is expected to benefit from the project or management action. The list shall include projects and management actions that may be utilized to meet interim milestones, the exceedance of minimum thresholds, or where undesirable results have occurred or are imminent.*

(d) *An Agency shall take into account the level of uncertainty associated with the basin setting when developing projects or management actions.*

6.2.1 Relevant Measurable Objective(s) [§354.44(b)(1)]

§354.44 Projects and Management Actions.

(b) *Each Plan shall include a description of the projects and management actions that include the following:*

(1) *A list of projects and management actions proposed in the Plan with a description of the measurable objective that is expected to benefit from the project or management action. The list shall include projects and management actions that may be utilized to meet interim milestones, the exceedance of minimum thresholds, or where undesirable results have occurred or are imminent.*

6.2.2 Implementation Triggers [§354.44(b)(1)(A)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(1) The Plan shall include the following:

(A) A description of the circumstances under which projects or management actions shall be implemented, the criteria that would trigger implementation and termination of projects or management, and the process by which the Agency shall determine that conditions requiring the implementation of particular projects or management actions have occurred.

6.2.3 Public Notice Process [§354.44(b)(1)(B)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(1) The Plan shall include the following:

(B) The process by which the Agency shall provide notice to the public and other agencies that the implementation of projects or management actions is being considered or has been implemented, including a description of the actions to be taken.

6.2.4 Overdraft Mitigation [§354.44(b)(2)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(2) If overdraft conditions are identified through the analysis required by Section 354.18, the Plan shall describe projects or management actions, including a quantification of demand reduction or other methods, for the mitigation of overdraft.

6.2.5 Permitting and Regulatory Process [§354.44(b)(3)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(3) A summary of the permitting and regulatory process required for each project and management action.

6.2.6 Implementation Timeline [§354.44(b)(4)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(4) The status of each project and management action, including a time-table for expected initiation and completion, and the accrual of expected benefits.

6.2.7 Anticipated Benefits [§354.44(b)(5)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (5) An explanation of the benefits that are expected to be realized from the project or management action, and how those benefits will be evaluated.*

6.2.8 Implementation Approach [§354.44(b)(6)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (6) An explanation of how the project or management action will be accomplished. If the project or management actions rely on water from outside the jurisdiction of the Agency, an explanation of the source and reliability of that water shall be included.*

6.2.9 Legal Authority [§354.44(b)(7)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (7) A description of the legal authority required for each project and management action, and the basis for that authority within the Agency.*

6.2.10 Cost & Funding [§354.44(b)(8)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (8) A description of the estimated cost for each project and management action and a description of how the Agency plans to meet those costs.*

6.2.11 Drought Offset Measures [§354.44(b)(9)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (9) A description of the management of groundwater extractions and recharge to ensure that chronic lowering of groundwater levels or depletion of supply during periods of drought is offset by increases in groundwater levels or storage during other periods.*

6.3 Project and Management Action 2 [§354.44(b)(1)(d)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(1) A list of projects and management actions proposed in the Plan with a description of the measurable objective that is expected to benefit from the project or management action. The list shall include projects and management actions that may be utilized to meet interim milestones, the exceedance of minimum thresholds, or where undesirable results have occurred or are imminent.

(d) An Agency shall take into account the level of uncertainty associated with the basin setting when developing projects or management actions.

6.3.1 Relevant Measurable Objective(s) [§354.44(b)(1)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(1) A list of projects and management actions proposed in the Plan with a description of the measurable objective that is expected to benefit from the project or management action. The list shall include projects and management actions that may be utilized to meet interim milestones, the exceedance of minimum thresholds, or where undesirable results have occurred or are imminent.

6.3.2 Implementation Triggers [§354.44(b)(1)(A)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(1) The Plan shall include the following:

(A) A description of the circumstances under which projects or management actions shall be implemented, the criteria that would trigger implementation and termination of projects or management, and the process by which the Agency shall determine that conditions requiring the implementation of particular projects or management actions have occurred.

6.3.3 Public Notice Process [§354.44(b)(1)(B)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(1) The Plan shall include the following:

(B) The process by which the Agency shall provide notice to the public and other agencies that the implementation of projects or management actions is being considered or has been implemented, including a description of the actions to be taken.

6.3.4 Overdraft Mitigation [§354.44(b)(2)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (2) If overdraft conditions are identified through the analysis required by Section 354.18, the Plan shall describe projects or management actions, including a quantification of demand reduction or other methods, for the mitigation of overdraft.*

6.3.5 Permitting and Regulatory Process [§354.44(b)(3)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (3) A summary of the permitting and regulatory process required for each project and management action.*

6.3.6 Implementation Timeline [§354.44(b)(4)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (4) The status of each project and management action, including a time-table for expected initiation and completion, and the accrual of expected benefits.*

6.3.7 Anticipated Benefits [§354.44(b)(5)]

§354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (5) An explanation of the benefits that are expected to be realized from the project or management action, and how those benefits will be evaluated.*

6.3.8 Implementation Approach [§354.44(b)(6)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

- (6) An explanation of how the project or management action will be accomplished. If the project or management actions rely on water from outside the jurisdiction of the Agency, an explanation of the source and reliability of that water shall be included.*

6.3.9 Legal Authority [§354.44(b)(7)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(7) A description of the legal authority required for each project and management action, and the basis for that authority within the Agency.

6.3.10 Cost & Funding [§354.44(b)(8)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(8) A description of the estimated cost for each project and management action and a description of how the Agency plans to meet those costs.

6.3.11 Drought Offset Measures [§354.44(b)(9)]

23 Cal. Code Regs §354.44 Projects and Management Actions.

(b) Each Plan shall include a description of the projects and management actions that include the following:

(9) A description of the management of groundwater extractions and recharge to ensure that chronic lowering of groundwater levels or depletion of supply during periods of drought is offset by increases in groundwater levels or storage during other periods.

7.0 References and Technical Studies [§354.4(b)]

§354.4 General Information.

(b) Each Plan shall include the following general information: A list of references and technical studies relied upon by the Agency in developing the Plan. Each Agency shall provide to the Department electronic copies of reports and other documents and materials cited as references that are not generally available to the public.

A list of references and technical studies relied upon by the Agency in developing the Plan. Each Agency shall provide to the Department electronic copies of reports and other documents and materials cited as references that are not generally available to the public.

Appendices

- Interbasin and Coordination Agreements (as applicable) *(Reg. §357)*
- Contact Information for Plan Manager and GSA Mailing Address *(Reg. §354.6)*
- List of Public Meetings *(Reg. §354.10)*
- Technical Appendices
- Groundwater Model Documentation
- Comments and Responses *(Reg. §354.10)*

FIGURES

TABLES

APPENDIX A

Title of Appendix A (Add “Next page” break here to add more)